No. MSSDS/657/Start-up-Tools/2024/107 Dated Shillong, the 14.10.2025

DETAILED REQUEST FOR QUOTATION (RFQ) SUPPLY OF START-UP TOOLS

Event Description	Scheduled Date	
Date of Publishing RFQ	14-10-2025	
Date of Fublishing KI Q	14-10-2023	
Pre-Bid Conference	21-10-2025 @ 3.00 PM	
Last date of Submission of RFQ	31.10.2025 @ 3.00 PM	
Opening of Bids	31.10.2025 @ 3.10 PM	

Any amendments to the above schedule are subject to the decision of the Executive Director, MSSDS

A. BACKGROUND

The Meghalaya State Skill Development Society (MSSDS) is implementing Skill Meghalaya; an initiative aimed at enhancing the employability and entrepreneurship potential of Meghalaya's youth. A key component of this initiative is to equip trained individuals with start-up tools to enable them to transition into self-employment and livelihood generation.

Findings from the IIM Impact Study and feedback from random quality checks with trainees indicate that while skill training imparts the necessary competencies, many trainees face significant challenges in translating their skills into sustainable self-employment. One of the primary barriers identified is the lack of access to essential tools and equipment, which limits their ability to effectively utilize their training. Providing start-up tools ensures that trainees can immediately apply their acquired skills, establish small businesses, and contribute to the local economy.

To facilitate this, MSSDS is inviting quotations from qualified suppliers, manufacturers, and authorized dealers for the supply of start-up tools for multiple trades. This Request for Quotation (RFQ) is intended to identify and engage reputed vendors who can ensure the timely and quality supply of tools that align with the skill sets imparted through the training programs. The selected vendors will be expected to meet the specified quality standards, provide necessary warranties, and ensure efficient delivery across designated locations.

Interested and eligible suppliers are invited to submit their quotations as per the terms and specifications outlined in this RFQ.

B. AIMS & OBJECTIVES

The goal is to ensure the provision of high-quality, durable tools that meet the specific needs of diverse skill sets.

C. SCOPE OF WORK:

The scope of this RFQ includes the following:

1. Supply of Tools and Equipment

- a. Provision of high-quality tools and equipment for various trades as specified by MSSDS at Appendix I.
- b. Tools must conform to industry standards and meet prescribed specifications.

2. Packaging and Delivery

a. Each trade's tools and equipment will be packaged separately with clear labelling and branding as per the Skill Meghalaya initiative. Each

- candidate will receive their tools and equipment in one or more dedicated packets, ensuring organized and secure packaging.
- b. The packaging will include the official Skill Meghalaya logo and design elements to ensure a uniform and professional appearance, reflecting the initiative's commitment to quality and distinction.
- c. Proper packaging to ensure tools reach the designated locations in optimal condition.
- d. Timely delivery to locations across Meghalaya as per the project requirements.

3. After-Sales Support

- a. Provide warranties and ensure availability of after-sales services for supplied items.
- b. Training or demonstration sessions (if required) for handling specialized tools.

D. TERMS AND CONDITIONS

1. Delivery and Packaging

- 1.1 **Timely Delivery:** The supplier must ensure delivery of tools and equipment to all designated locations across Meghalaya within the timeline agreed in the contract.
- 1.2 **Packaging Standards:** Each tool kit must be packaged as per the MSSDS branding guidelines, ensuring adequate protection against transit damage. Any damages during transit must be rectified by the supplier at no additional cost.
- 1.3 **Delivery Locations:** The Delivery Locations will be across various districts in Meghalaya. However, the detailed list of locations will be provided to the selected bidders upon contract award. (Since the delivery locations may impact the pricing, bidders are advised to consider state wide delivery while quoting their rates. In case of significant logistical variations, bidders may indicate separate transportation costs per district or provide a consolidated cost structure that accounts for statewide distribution).
- 1.4. **Delivery schedules** must align with project requirements, failing which penalties may apply.

2. Warranty and After-Sales Support

2.1 **Warranty Period:** A minimum warranty of one year must be provided for all tools and equipment supplied under the contract. Defective items must be replaced or repaired free of cost within the warranty period.

2.2 **After-Sales Support:** Suppliers must ensure availability of after-sales support, including technical assistance and spare parts for a minimum of three years after delivery.

3. Penalty Clause

3.1 Delayed Delivery:

- In the event of delay in delivery beyond the agreed timeline, a penalty of 0.5% of the total contract value will be charged per week, subject to a maximum of 10% of the contract value.
- MSSDS reserves the right to terminate the contract and forfeit the Earnest Money Deposit (EMD) if delays exceed 4 weeks without satisfactory justification.

3.2 Non-Compliance with Specifications:

- Tools and equipment not meeting the prescribed quality standards or specifications may be rejected, and replacement must be made within 10 days at the supplier's cost.
- Failure to replace non-compliant tools within the stipulated period will result in a penalty of up to 5% of the order value.

4. Performance Guarantee

- 4.1 **Performance Security:** The successful bidder shall submit a Performance Security equivalent to 5% of the total Purchase Order within seven (7) days of issue of the PO. This security will be held until 60 days post-completion of all contractual obligations, including the warranty period.
- 4.2 **Breach of Contract:** In case of non-performance or breach of contract, MSSDS reserves the right to invoke the Performance Security and take legal action as deemed necessary

5. Contract Validity and Renewal

- 5.1 **Contract Period:** The initial contract shall remain valid for a period of three years from the date of signing the agreement.
- 5.2 **Renewal Clause:** MSSDS reserves the right to renew the contract based on satisfactory performance during the initial period. Renewal terms will be subject to mutual agreement.

6. Termination of Contract

- 6.1 **Termination for Cause:** MSSDS reserves the right to terminate the contract if the supplier:
 - Fails to deliver within the stipulated time.
 - Delivers substandard or non-compliant products.

- o Breaches any terms of the contract.
- 6.2 **Termination for Convenience:** MSSDS may terminate the contract for convenience with a 30-day written notice to the supplier. Payments will be made for work completed up to the date of termination.

E. ELIGIBILITY CRITERIA

Applicants must meet the following minimum pre-qualification criteria:

SN	Pre-Qualification Criteria	Supporting Document		
1	Registered Legal Entity under	Copy of Certificate of Registration.		
	relevant statutory authorities	In case of Company - Enclose		
		Memorandum and Articles of		
		Association along with certificates of		
		incorporation. If company is a public		
		limited then the certificate for		
		commencement of business is also to		
		be enclosed.		
		In case of Partnership Firm -		
		Enclose valid partnership, deed and		
		enclose a declaration on the letterhead.		
		In case of Individual /Proprietorship firm- Enclose a		
		declaration on the letterhead.		
2	Average annual turnover of ₹5 crore	Audited Balance Sheet for the last 3		
	for the last 3 years (FY 2021-22,	Financial Year or CA Certified		
	2022-23 & 2023-24).	statement for the same (as		
		applicable)		
		Income Tax Returns filed for the last		
		2 years (if applicable)		
		Note: MSMEs that do not meet the		
		criteria are exempt from fulfilling the		
		criteria and will be assigned an		
		average score in the evaluation		
3	No Vigilance/CBI case pending	process. Affidavit duly attested by the Notary		
٥	against the firm and it has never	Public (in original) on a non-judicial		
	been blacklisted by any public of	, - ,		
	, , ,	Starry paper of No. 100/		
	private organization in the past			

4	The organization should be	Copy of Certificates / License to be		
	headquartered in Meghalaya. They	enclosed.		
	should also have a valid registration			
	certificate. GST, PAN and Valid			
	Trading License from the State of			
	Meghalaya			
5	The organization should have 2	Work Orders or Certificate by		
	(Two) years of experience in the	authorized signatories.		
	related work ¹			
6	The Organization should obtain documents from manufacturers / dealers fulfilling the requirements in taking full responsibility of technical support, service and organizational support			
7.	Earnest Money Deposit of INR.5.0 Lakhs	Details of EMD Transaction		
8.	Capacity of delivery to all Districts	Self-Declaration on Letterhead – A		
		signed and stamped declaration		
		confirming the bidder's ability to		
		deliver to all districts.		

Note:

- Applicants not meeting the minimum pre-qualification criteria will be rejected and will not be evaluated.
- All applicants are directed to submit the certificate(s) issued by Chartered Accountant with UDIN mandatorily.
- Additional documents may be called after opening of RFQ, if required

F. EVALUATION CRITERIA AND METHOD OF EVALUATION:

1. The RFQ process involves a two-stage evaluation namely, Technical Proposal followed by the evaluation of the Financial Proposal.

_

¹ Experience in related work.

Bidders are to submit their own experience in similar projects "OR" Experience of the Manufacturer/OEM they
represent, provided they submit an authorized dealership certificate or a letter of support from the OEM
confirming the bidder's capability to supply, distribute, and provide after-sales support.

^{2.} MSSDS acknowledges that experience in supplying all 67 categories may not be available with many prospective bidders. To foster broader participation and fair competition, the RFQ will consider:

a. Experience in Similar or Related Categories – Bidders may demonstrate experience in related trades/tools rather than the exact same category.

b. Manufacturer/OEM Experience – If the bidder does not have direct experience, they may submit the experience of the Manufacturer/OEM they represent, along with a valid authorization certificate.

c. Consortiums or Partnerships – Bidders may collaborate with other firms to strengthen their bid, provided they submit valid agreements outlining roles and responsibilities.

- 2. Screening of RFQs shall be carried out as per eligibility conditions mentioned above and based on verification of testimonials submitted.
- 3. RFQ will be evaluated for shortlisting inter alia based on their past experience of handling similar type of project and financial strength of the firm.
- 4. The proposals of only eligible parties will be evaluated.
- 5. MSSDS will take up references and reserves the right to pay due attention to the Applicant's performance elsewhere and any past experience.
- 6. The selection will be on the basis of the following:
 - Compliance with eligibility criteria.
 - Quality and range of tools and equipment offered.
 - Financial competitiveness and value for money.
 - Past experience and reputation in similar projects.
 - Delivery and support capabilities.
- 7. The qualifying score in the technical evaluation is 70 out of the total score of 100. If adequate nos. of firms do not qualify, then, MSSDS, Shillong may reduce the qualifying score, however, it shall not be less than 60.
- 8. Financial Proposal will be opened for the applicants those qualified in the technical evaluation only.

G. TECHNICAL EVALUATION:

The Technical evaluation of the proposals shall be carried out in order to determine whether the Bidder is competent enough and whether the bidder's proposal technically qualifies with the requirements set forth in the technical proposal shall be marked according to the following criteria:

SN	Criteria	Score	
1	Legal Entity headquartered in Meghalaya	10	
2	Experience in related Work	10	
	3 years or more – 10 marks		
	2 years – 7 marks		
3	The Bidder's experience in executing similar projects worth	10	
	5Cr and above=10Marks		
	2Cr-5Cr=7Marks		
	1Cr-2Cr=5Marks		
	MSMEs not meeting the benchmarks above = 5 marks		
4	Returns filed for the last 3 years	5	
5	Documents from manufacturers / dealers	10	
6	Earnest Money Deposit (EMD) submitted	10	
7	Average annual turnover in last three years ending 31st March 2024	10	

	Above 5 Cr – 10 marks	
	5 Cr – 7 marks	
	3 Cr to 4 Cr – 5 marks	
	MSMEs not meeting the benchmarks above = 5 marks. ²	
8	Liquidity (Current Ratio)	10
	2.0 and above – 10 marks	
	Between 1.5 and 2.0 – 7 marks	
	Less than 1.5 – 5 marks	
	MSMEs not meeting the benchmarks above = 5 marks	
9	Capacity of Delivery to all Districts based on Workplan	5
10	Sample/Presentation/Work Plan	20

A minimum score of 70 is required to be obtained to qualify as per the Technical Evaluation parameters above.

H. FINANCIAL EVALUATION

- For financial evaluation, the total cost indicated in the Financial Proposal will be considered. The bid price will include all taxes and levies and shall be in Indian Rupees and mentioned separately.
- 2. The authority will determine whether the Financial Proposals are complete and unconditional. The cost indicated in the Financial Proposal shall be deemed as final and reflecting the total cost of services. Omissions, if any, in costing any item shall not entitle the firm to be compensated and the liability to fulfil its obligations as per the scope of Work within the total quoted price shall be that of the Education.

3. Quotation Format:

- a. Separate quotations should be submitted for each category.
- b. Technical Proposal should clearly specify workplan, deliverables and timelines.
- c. Financial Proposal should clearly specify pricing for each Trade listed in Appendix I.
- d. Rates quoted should be valid for three years.
- e. **Instructions:** Bidders do not need to submit separate Technical Bids and Financial Bids for each category they quote. Instead, they should follow the below approach:

² The provision applies only when an MSME does not meet the criteria. If an MSME meets any of the criteria, marks will be assigned based on the designated score slab.

- I. Single Technical Bid The bidder should submit one consolidated technical bid covering all categories they are quoting for. This should include:
 - a. Compliance with eligibility criteria
 - b. Supporting documents for experience, turnover, and capability
 - c. Product specifications and certifications
 - d. Work plan and delivery schedule
- II. Separate Financial Quotations for Each Category While the technical bid can be consolidated, the bidder must quote the price separately for each category they are bidding for. This ensures clear and transparent price evaluation. Bidders are required to submit the price quotation strictly in the prescribed format; deviations will not be accepted.

4. Selection:

- a. The lowest quotation for each category will be selected, provided it meets the specifications provided and quality requirements.
- b. MSSDS reserves the right to reject any or all quotations and engage in further negotiations as deemed necessary
- c. MSSDS can split the work if it feels that it is required at the L1 rates to the other Bidders.

I. GENERAL TERMS & CONDITIONS

- 1. The Bidder shall submit only one Proposal (also referred to as RFQ response or RFQ documents herein)
- 2. The Proposal should be in the specified format in English Language
- The Proposal shall be prepared in indelible ink. It shall contain no inter-lineation or overwriting, except as necessary to correct errors made by the firm itself. Any such corrections must be attested by the person or persons who sign(s) the Proposals.
- 4. The Bidder(s) have to agree to all the terms and conditions, stipulated in the tender document.
- 5. Please note that no counter proposal is acceptable to us and conditional / late quotations are liable to be rejected.
- 6. Tender document is to be duly signed & sealed on all the pages as a token of having accepted all the terms and conditions (no thumb impression is to be affixed).
- 7. Tender sent by fax/telex/cable/electronically shall be ignored.

- 8. The Bidder must submit the Earnest Money Deposit (EMD) of INR.5,00,000.00 (Rupees Five Lakhs only) in the form of DD/BG/FD³ drawn on any nationalized bank, pledge in favour of the Meghalaya State Skill Development Society.
- 9. The EMD of the all tenderers shall be returned to them without any interest, whatsoever.
- 10. Bidders must clearly specify the **brand name** of each tool in their quotation. In cases where no specific brand is available, please indicate "**Local**" or "**Customised**", as applicable.
- 11. The Bidder should specify all required details in Financial Proposal both in number as well as words. If there is a discrepancy between words and figures, the quote in words shall prevail.
- 12. The Bidder(s) may quote the rate in Indian rupees only.
- 13. The rates quoted by the applicant must remain valid upto 180 days from the date of submission of the RFQ. In case of delay in Award of Contract, the bidder(s) may be requested to extend validity period, if mutually agreed upon.
- 14. No work will be allotted to non-tribal bidder, contractors, Suppliers, firms cooperative societies etc. except under a valid trading license issued by the Autonomous District Council of the respective districts of Meghalaya.
- 15. Within seven (7) days from date of the issue of notification of award by MSSDS, the successful bidder(s) shall furnish Performance Security to MSSDS for an amount equal to five percent (5%) of the total value of the Contract, valid up to sixty days after the date of completion of all contextual obligations by the supplier. including the warranty obligations. In case the agency fails to deposit the performance, security work order shall be cancelled.
- 16. The EMD will be refunded to the successful bidder(s) after receiving the Performance Security.
- 17. The Validity of Contract will be 3 years from the time of allotment of work on signing an Agreement.
- 18. In case the Bidders/ tenderer furnish false information their tenders/ bids will be rejected and their security deposit/EMD will stand forfeited.
- 19. At any time prior to the date of submission of bid, MSSDS may, for any reason, whether at its own initiative or in response to a clarification from a prospective

_

³ Terms for FD

^{1.} The Fixed Deposit (FD) must be lien-marked in favour of MSSDS.

^{2.} The lien confirmation letter from the issuing bank must be submitted along with the FD receipt.

^{3.} The FD must remain valid for at least 6 months from the date of bid submission.

^{4.} The FD must be issued by a nationalized or scheduled commercial bank in India.

MSSDS reserves the right to invoke and encash the FD in case the bidder fails to comply with the tender conditions.

^{6.} Along with the FD receipt, bidders must submit an undertaking stating that the FD has been pledged to MSSDS and will not be withdrawn without prior approval.

bidder, modify the bidding documents by an amendment and it will be uploaded in the office website. All prospective bidders/ tenderer is requested to visit website regularly during this period. MSSDS may at its discretion, extend the date and time for submission of bids

- 20. Notwithstanding the above, MSSDS reserves the right to accept or reject any of Proposals at any stage without assigning any reasons thereof and / or cancel the process and reject all proposals at any time prior to the award of Contract.
- 21. This Request for RFQ shall be interpreted, enforced and otherwise governed by the Laws of India, without reference to its conflict of law principles and the Courts at Shillong, India, shall have the exclusive jurisdiction in respect of matters arising in relation to this Request for RFQ.

22. List of Trades, Tools & Specifications:

- Bidders are not required to quote for all 67 categories. They may quote for as many categories as they are qualified to supply, based on their expertise, manufacturing, and distribution capacity.
- However, each category will be evaluated separately, and selection will be made based on the best value for money, compliance with technical specifications, and adherence to delivery timelines.
- The RFQ is structured to allow broad participation from vendors specializing in specific trades, ensuring fair competition and avoiding "Limited Participation." Vendors are encouraged to bid for categories where they can ensure quality, timely delivery, and after sales service.

J. CONDITION UNDER WHICH RFQ IS ISSUED:

The RFQ is not an offer and is issued with no commitment. MSSDS reserves the right to withdraw RFQ and or vary any part thereof at any stage. MSSDS further reserves the right to disqualify any party, should it be so necessary at any stage.

K. THE REQUEST FOR QUOTATION IS TO BE SUBMITTED IN THE MANNER PRESCRIBED BELOW:

All information as detailed below is to be submitted in hard copies in sealed envelope:-

- 1. Forwarding Letter as per Format-1.
- 2. Organizational Contact Details & Application form as per Format-2.
- 3. Experience of the organization as per Format-3.
- 4. Financial strength of the company as per Format-4.
- 5. Price quotation following the format outlined in Format 5. Bidders are required to submit a password-protected soft copy of the price quotation in Excel format along with the hard copy of the proposal. The Excel file should be emailed to skills.megh@gmail.com with the subject line '<Name of Firm> Price Quotation

for Start-Up Tools' on the submission deadline. The password is to be provided upon request from MSSDS.

- 6. Affidavit of never been blacklisted by any public of private organization in the past
- 7. Power of Attorney in favour of Authorized Signatory with long and short signatures of Authorized person.

The applicants are expected to examine all instructions, forms, terms and other details in the RFQ document carefully. Failure to furnish complete information as mentioned in the RFQ document or submission of a proposal not substantially responsive to the RFQ documents in every respect will be at the Applicant's risk and may result in rejection of the proposal.

L. RESPONSE:

Applicants must ensure that their response is submitted as per the formats attached with this document. Comments, if any, on the objectives and scope of the service projected in the enquiry may also are submitted along with the offer.

Application in sealed cover superscripted as "Quotation for Supply of Start-up Tools". Price quotation is to be in a separate sealed cover superscripted as "Price Quotation for supply of Start-up Tools"

M. VENUE & DEADLINE FOR SUBMISSION OF QUOTATIONS

Interested and Eligible Institutions can submit their Quotations in its complete form in all respects as specified in the RFQ to The Executive Director, MSSDS, 3rd Floor, Grove Site Building, Keating Road, Shillong, Meghalaya - 793001 on or before **31-10-2025 by 3:00 PM**.

RFQ Opening Date & Time: 31-10-2025 at 3:10 PM.

APPLICANT'S FORWARDING LETTER

То	,				
		The Executive Director			
		Meghalaya State Skill Development Society			
Su	ıb:	Submission of Quotation for supply of start-up tools			
Re	ef:	No, dated			
De	ear S	Sir,			
for pro	the	ponse to the Invitation for Request for Quotation (RFQ) published one above purpose, we would like to express interest to carry out the above sed task. As instructed, we attach the following documents in separately sealed ope:			
		ganizational Contact Details & Application form as per Format-2.			
2.	Ex	perience of the organization as per Format-3.			
3.	Financial strength of the company as per Format-4.				
4.	Wo	orkplan and Timelines for Delivery – Format 5			
5.	Pri	ice quotation following the format outlined in Format 6.			
6.	Aff	fidavit of never been blacklisted by any public of private organization in the past			
7.		wer of Attorney in favour of Authorized Signatory with long and short signatures Authorized person.			
		Sincerely Yours,			
		Signature of the applicant			
		[Full name of applicant]			
Da	ıte:	Stamp			
En	cl: A	As above			
/NI	oto.	This is to be furnished on the letter head of the organization)			

FORMAT-2

APPLICATION FORM

(To be filled in by an authorized representative of the applicant organization)

PA	IRT – I
1.	Name of the organization:
2.	Address and telephone no. :
3.	Type of the organization:
4.	Main area of business:
5.	Date of establishment:
6.	GST:
7.	PAN:
8.	Trading License:
9.	EMD Details:

Date:

FORMAT-3: EXPERIENCE IN SIMILAR FIELD

Provide details of past experiences working with similar works

SN	Items	Year	Order Value of each assignment (in INR - Crore)	Name of Client / Organization

Signature of the applicant
Full name of the applicant
Stamp:

Date:

FORMAT-4: FINANCIAL STRENGTH OF THE ORGANIZATION

SN	Financial Year	Whether profitable Yes/No	Annual net profit (in INR - Crores)	Overall annual turnover (in INR - Crores)	Annual turnover from only similar works (in INR Crores)
1	2021-22				
2	2022-23				
3	2023-24				
Liqu	idity (Current	Ratio) =			

Note: Please enclose Auditor's / CA certificate in support of your claim.

Signature of the applicant
Full name of applicant
Stamp

Date

FORMAT 5 – WORKPLAN & TIMELINES FOR DELIVERY

Activity / Milestone	Description	Timeline
Receipt of of Purchase	MSSDS issue of the purchase order	Day 1
Order (PO)		
Acceptance of PO	Supplier must acknowledge PO	
Submission of Product	Supplier to provide sample tools for	
Samples (if applicable)	quality verification before bulk	
	supply.	
Manufacturing/Procurement	Supplier to commence procurement	
Phase	or manufacturing as per the agreed	
	specifications.	
Dispatch & Delivery	Tools to be dispatched and	
	delivered to designated locations.	
Delivery Completion	Full order fulfillment with all tools	
	delivered as per specifications.	
Submission of Invoice	Supplier submits invoices for	
	payment processing as per contract	
	terms.	

FORMAT 6 – PRICE QUOTATION

SN	TRADE NAME	TOOLS & SPECIFICATIONS	BRAND	ISO CERTIFIED (Y/N)	PRICE

Note: Bidders are required to submit the price quotation **strictly in the prescribed format; deviations will not be accepted**.

LIST OF TRADES TOOLS & SPECIFICATIONS

Α	Trade Name	Recommended Tools Specification
1	Almirah Making (Metal Sheet Worker) - Non NSQF	1.Sheet Metal Shears-12V max Li-ion Cordless Multi Cutter(without Battery) Sound Pressure Level-70 dB(A) or less, Vibration Level-2.5 m/sec square, Maximum Cutting Capacity-6 mm (1/4"), No load speed (rpm)-300, Dimension-272x66x120 mm, Voltage-12V, Type of Product-Cordless Multi Cutter, Battery Capacity-4.0 Ah, Battery Type-Lithium-ion, Noise Sound Pressure-70 dBA, Noise K Factor-3 dBA 2.Hammer- Planishing Hammer Smooth and Shapes Sheet Metal, Head Material-Metal, Handle Material-Wood, Grip Type-Smooth, Head Style-Flat, Style-Flat, Dimensions-3.18 x 2.54 x 20.32 cm. 3.Drill 600W Corded Electric 2600 RPM Professional Percussion Impact Drill (Kit of 100 Pcs), Load Speed-, 2600 RPM Voltage-230 V, Chuck Size-13 mm, Torque 1.8 Nm, Power Range 501 - 800 W, Power Source-Corded Electric 4. Spirit Lewvel - 900mm Spirit Level with Magnet, Accuracy: 1.0mm, 36- Inch 5.Screwdriver -Canvas Screwdriver Bit Set (11-Pieces) Head Style-Phillips, Material-Canvas, Special Feature-Ergonomic, dimensions L x W x H 23.1 x 9.4 x 4.8 Centimeters. Included Components-11 Canvas Screwdriver Bit Set, Screwdriver bits: PH1, PH2, PH3, H3, H4, H5, S4, S6, T20 & T25 6.Plier -Stainless Steel Pliers Tool, Pack Of 5 Pliers - 1) side cutter, 2) round nose, 3) crimping, 4) nylon jaw and 5) 3 step wire looping pliers.
2	Artisanal Fruit Wine Maker NSQF	1.Dehydrator- Food Dehydrator 700W Dehydrator Machine with 6 Stainless Steel Trays 24H Digital Timer Temperature Control Drop-Down & Viewing Door for Jerky Fruit Meat Pet Treats Herbs 34D x 45W x 32H Centimeters, 220 Volts
3	Assistant Beauty Therapist Non NSQF	 1. Beauty Therapist Kit- 18 Pieces Manicure Kit, Pedicure Tools for Feet, Nail Clipper, Ear Pick Tweezers, Manicure Pedicure Set for Women and Men - 16 x 9 x 2 cm 2. Hot Air Brush Set - 5 In 1 Electric Blow Dryer Comb Hair Curling Wand Detachable Brush Kit with Fully Professional Hair Combs for Hair Cutting and Styling with set of 10 combs, 800-1000W Power

Α	Trade Name	Recommended Tools Specification
		3. Wax Heater- Warmer Hot Wax Heater for Hard, Strip and Paraffin Waxing, Wax Machine For
		Women, Wax Automatic Waxing Kit Temperature Regulator.
		4. Hair Cutting Scissor- 10 Pcs Professional Hair Cutting Scissors, 6 inch in length
		5. Hair Dryer - Foldable 1000 Watts Hair Dryer With Heat & Cool Setting And Detachable
		Nozzle, Plastic, 1100 Watts, 1 cool and 1 heat setting. Cord Length 1.6 m
4	Assistant Electrician	1. Hand Tool kit- Electricians Hand Tool Kit (43 Tools), 1 pc 8" Combination Plier, 1 pc 6" Long
	NSQF	Nose Plier, 1 pc 130 mm Wire Stripper, 1 pc 5mm Linesman Tester, 35 Pc Screwdriver set, 1 Pc
		18mm Slide-lock Snap-off Knife, 1 pc 4" Basic Diagonal Cutting Plier, 1 pc 3m Measuring Tape,
		1 pc 12.5" Tool Box with Metal Latch.
		2. Impact Drill- 600 W Corded Electric 2600 RPM Professional Percussion Impact Drill ,No Load
		Speed-2600 RPM, Voltage- 230 V, Chuck size-13 mm, Power Source-Corded Electric, Torque
		1.8 Nm, Power Range 501 - 800 W, Reverse Rotation-Yes, Type-Percussion, Speed Range-0-
		2600 RPM.
5	Assistant Mason NSQF	1.Square Mouth Shovel- Square Mouth Shovel with Metal Shaft Black, Mild Steel, Material-Mild
		Steel, Shape-Square. Handle Type-MS pipe
		2.Bricklaying-Bricklaying & Plastering Hand Tools Set Aluminium Trowel (Pack of 8),Handle
		Material-Fiber, 10 x28 cm, Width
		10 cm, Height 28 cm.
		3.Hammer- Club Hammer With Handle, hardened up to 46-58 HRC,Grade I.S. 841 - 1983.Drop forged from high grade carbon steel.
		4. Angle Grinder- 4inch Angle Grinder with 10mm Drill Machine for Metal/Wood/Concrete
		Angle Grinder (100 mm Wheel Diameter)/Maximum Speed-11000 RPM/ Arbor Size: 110/power
		850W motor.Maximum hole diameter for drilling in wood is 25 mm, in concrete 10 mm and in
		steel 10 mm.
		5. Safety Jacket- Safety Jacket Reflective High Visibility use For Airport, Construction,
		Emergency, Landscaping, Paving, Traffic, Sanitation, Security Guard, Engineering/Polyester/V-Neck/Regular Fit/Dimensions 20 x 20 x 2 Centimeters.
		6.Safety Gloves- Regular Size Cut Proof Nitrile PU Coated White & Grey Safety Gloves, MG-
		Glove-001_PK10 (Pack of 10)/Material-Nitrile /Regular Size/PU Coated

Α	Trade Name	Recommended Tools Specification
		7.Wrecking Bar - 12x760x18mm High-Grade Material Wrecking Bar Single.
		8. Spirit Level - Aluminium Spirt levels 1mm thickness, provides lightweight durability and
		precise leveling for various tasks, featuring easy-to-read bubble vials for accuracy
		9.Plumb Bob- Iron Plumb Bob With 2 m Thread, Type of Product-Plumb Bob, Length-2
		m,Designed For Heavy Duty
		10. Angle Cut- 203.2 mm (8 Inch) Carbon Steel Angle Cut Try Square, Blade Length-200
		mm,Dimension 12 x 8 x 7 cm, Shape L,Size (cm)-20.32 cm.
6	Automotive Electrician -	1. Hand tool Kit- 73 Pcs Starter Box Set Hand tool kit (Wood, Masonry and Metal, Hammer,
	Non NSQF	Plier, DIY, Accessories for Drills and Screwdrivers) Item Dimensions LxWxH-32.2 x 17.8 x 13
		Centimeters.
		Included Components 1 Cutter Knife, 1 counter sink, 1 hammer, 1 measuring tape, 1 hand
		screwdriver, 1 magnetic bit holder, 3 metal drills (3/4/6 mm), 5 mansory drills (4/5/6/8/10 mm),
		15 Screw driver bits (PH1/2/2/3: PZ 1/2/2/3; S 4/6/7; T 15/20/25/30), 18 screws (3size), 18
7	Davida a suad a sua	plastic plugs (3size), 3 metal drills (3/4/6mm).
7	Bamboo and cane furniture Non NSQF	1. Wood Planner- 82mm 600W Electric Wood Planer Machine/ No Load Speed-16000 rpm/ Voltage-220 V/ Dimension -33x20x19 cm/ Planning width- 82 mm.
		2. Wood Sander- 220W Professional Orbital Sander, GSS 140/0 -Speed (RPM):0 - 14000 rpm,
		Rated input power: 220 W, Orbital stroke rate: 28000, Oscillating circuit dia 1.5 mm/Sanding
		plate, width 101 mm/Sanding plate, length 112 mm/Sanding sheet for clamping, width 114 mm/Sanding sheet for clamping, length 140 mm.
		3. Hammer- 3lb Sledge Hammer with Wooden Handle/ Head Material-Alloy Steel, Handle
		Material-Wooden, Handle Steel, Head Style-Flat.
		4. Hacksaw- 300 mm / 12 inch Metal Hacksaw Frame, Size (inches):12 inch, 12.5 mm wide
		blade/ Tooth Spacing (mm)
		5. Chisel- Steel (32mm) Bevelled Edge Chisel Size standard material-Plastic Blade Material
		Alloy Steel Blade Edge Bevel Size: 32 mm (1.1/4).
		6. Wood Trimmer- 650W 32000rpm Professional Palm Router/ Material-Plastic/ Frequency-50
		Hz/ Voltage 220 V AC/ Power source AC/Collet Size 6 mm/ Diametre Cutting 6.35 mm/ Shank 8
		mm.

Α	Trade Name	Recommended Tools Specification
		7. F Clamp- 250mm Light Duty F-Clamp
		8. Drill- 600 Corded Electric Impact Drill 600 W Motor Speed upto 3000 RPM Rated Torque
		of 1.4 Nm Impact rate upto 48000 BPM Double Insulation Voltage-240 Volts (AC) Amperage
		14 Amps Maximum Chuck Size 13 Millimeters Dimensions 28L x 7.2W x 27.5H Centimeters.
		Material-Metal, Item Drilling Capacity Wood- 25 Millimetres.
		9. Measuring Tape- 5m:19mm Steel Inchi Measuring Tape - 5mWith Unbreakable ABS case
		Soft Grip Bi-material Case Auto-lock and Belt Clip Dimensions 8L x 3W Centimeters Blade
		Length 5 Metres Measurement Accuracy Class II Lock Type Automatic Blade Material-
		Carbon Steel.
		10. Airbag- Luggage Air Bag Capacity 25 L.
8	Bamboo bags maker Non	1. Slicer Machine-Rectangular Bamboo Manual Slicer Machine/ Standard / Type: Manual
	NSQF	slicing machine/ Length:1 to 1.5 meters/ Width: Around 0.5 meters/ Height: 1 to 1.5 meters.
		2. Sizer Machine- Bamboo Manual Sizer Machine / Power 1 HP/ Speed 1440 RPM/ Layout
		Horizontal/ Length 6FT/ Dimensions:Length: 1.2 – 1.5 meters/ Width: 0.6 – 0.75 meters/ Height:
		1 meter/size.
9	Bamboo Mat Weaver	1. Slicer Machine-Rectangular Bamboo Manual Slicer Machine/ Standard / Type: Manual
	NSQF	slicing machine/ Length:1 to 1.5 meters/ Width: Around 0.5 meters/ Height: 1 to 1.5 meters.
		2. Sizer Machine- Bamboo Manual Sizer Machine / Power 1 HP/ Speed 1440 RPM/ Layout
		Horizontal/ Length 6FT/ Dimensions:Length: 1.2 – 1.5 meters/ Width: 0.6 – 0.75 meters/ Height:
		1 meter/size.
10	Bamboo Prefabricated	1. Slicer Machine-Rectangular Bamboo Manual Slicer Machine/ Standard / Type: Manual
	cabin Non NSQF	slicing machine/ Length:1 to 1.5 meters/ Width: Around 0.5 meters/ Height: 1 to 1.5 meters.
		2.Sizer Machine- Bamboo Manual Sizer Machine / Power 1 HP/ Speed 1440 RPM/ Layout
		Horizontal/ Length 6FT/ Dimensions:Length: 1.2 – 1.5 meters/ Width: 0.6 – 0.75 meters/ Height:
		1 meter/size.
11	Bamboo Utility handicraft	1. Bamboo Hand Splitter- Bamboo Hand Splitter/Special Feature Compact/Blade Material
	assembler - Non NSQF	Stainless Steel/Blade Shape Rectangular/Operation Mode Manual.
		2. Cutter Knife-18 mm Cutter Knife Utility Knife Box Cutters, Compact, Blade Material Stainless
		Steel/ Handle Type-Manual-Retractable/ Dimensions LxWxH 10 x 2 x 2 Centimeters.

Α	Trade Name	Recommended Tools Specification
		3. Tailor Scissor- Tailors Scissors Dimension: 10L x 10W Millimeters, Material Stainless Steel,
		Blade Material Alloy Steel.
		4. Measuring Tape- Measuring Tape 30 Meter X 9.5 Mm/ Dimensions LxWxH 20 x 4 x 20
		Centimeters.
		5. Claw Hammer- Fibreglass -16 Curved Claw Hammer, Head material - Steel
12	Bamboo Utility handicraft	1. Slicer Machine-Rectangular Bamboo Manual Slicer Machine/ Standard / Type: Manual
	assembler NSQF	slicing machine/ Length:1 to 1.5 meters/ Width: Around 0.5 meters/ Height: 1 to 1.5 meters.
		2.Sizer Machine- Bamboo Manual Sizer Machine / Power 1 HP/ Speed 1440 RPM/ Layout
		Horizontal/ Length 6FT/ Dimensions:Length: 1.2 – 1.5 meters/ Width: 0.6 – 0.75 meters/ Height:
4.0		1 meter/size.
13	Bamboo wood Furniture	1. Slicer Machine- Rectangular Bamboo Manual Slicer Machine/ Standard / Type: Manual
	NSQF	slicing machine/ Length:1 to 1.5 meters/ Width: Around 0.5 meters/ Height: 1 to 1.5 meters.
		2. Hand Spitter- Bamboo Hand Splitter/ Blade Material Stainless Steel/ Blade Shape
4.4	Dania Manan Tilina Nan	Rectangular/ Operation Mode Manual.
14	Basic Mason Tiling Non NSQF	1. Measuring Tape- 5 mx19 mm Short Tape Rule, Dimension 24x8x6.9 cm, Width 19 mm,
	NSQF	Measurement Range,5 m. 2. Tile Leveling Kit- 50 pcs Tile Leveling System Kit Tile Leveling Clip for Floor & Wall Tiles
		Tile Levelling Tools Material-Stainless Steel Operation Mode Manual Dimensions 20 x 18 x 5
		cm, suitable for tiles with thickness 8-12mm, precision seam 2mm (needle width: 1.5mm)
		3.Diamond Tile Cutter- 1400 W 13200 RPM Wheel Dia 115 mm Professional Diamond Tile
		Cutter Voltage 220-240 V Wheel Diameter 115 mm Cutting Depth 35 mm.
		4.Tile Cutter- High Quality Hand Cutter Table Top Tile Cutter (0 W)/24 inch. Aluminium/ Miter
		Saw/Maximum Cutting Length 500-1100 /Maximum Cutting Depth 60-120/ Rated Wattage 0 W/
		Rated Amperage 0 A.
		5. Steel Trowel-Stainless Steel Trowel For Tiles,1 Pc Metal Suction Cup With Strong Handles &
		Plastic Trowel Tile Fixing Tools (9 MM + Suction Cup).
		6. Angle Grinder- Angle Grinder 800W Power No-load Speed of 11000 RPM Versatile
		Cutting and Grinding Tool M10 Grinding Spindle Thread 100 mm Disc Dimensions 10L x
		10W x 15H Centimeters Power Source Corded Electric Horsepower 800 Watts.

Α	Trade Name	Recommended Tools Specification
A 15	Trade Name Camera Operator NSQF	1. Camera cleaning kit- Cleaning Kit for DSLR Cameras and Sensitive Electronics/ Material-Plastic/Dimensions-2.5 x 1.5 x 0.5 cm; 2. Light Meter- Digital Lux Meter Range 0 – 2,00,000 LUX, Peak Hold (LX-102A), Accuracy ± 5%, Backup battery 200 – 250 hours,Power Supply(V) 9, Dimensions (L x W x H) mm 148 x 70 x 40, Photo Detector: 100(H) x 60(W) x 27(D)mm, Photodiode detector dimensions: 82 x 55 x 7 mms (L x W x H). 3. Laser Pointer- Laser Pointer Torch with Emergency Hazard LED Light and Hook , XS (Multicolor),Wavelength (630 nm), Class 2, Battery Type 3 Button Sell Size Batteries. 4. Filter kit- 58mm Macro Close-Up Filter Set (+2 +4 +8 +10) Macro Filter Accessory with Lens Filter Pouch Lens,Dimensions 2 x 5 x 0.1 cm; Material- Optical Glass, 5. Tripod- 67 Inch (170CM) Tripod for DSLR, Camera Operating Height: 5.57 Feet Maximum Load Capacity up to 5kg Portable Lightweight, Aluminum Tripod 360 Degree Ball Head, Dimensions 10 x 8 x 6 cm. 6. Memory card- 32 GB micro Memory Card, 120 MB/s Read (491946878),Operating System-Android,Class 10,Interface UHS-1. Width-1.499 xHeight 1.092 x Length 0.102 cm, 7. Gimbal- SINGLE HANDED GIMBLE, camera base plate: 98 mm, Maximum height measured from top of the camera base plate: 150 mm, Maximum width: 205 mm, Mechanical: 1/4"-20, 3/8"-16 Mounting Hole, Electrical: 12V/2A Power Accessory Port ,Input Power: RB1-2400mAh-14.4V, Type: 18650 LiPo, Camera Control Port, 8-pin Port,Capacity: 2400 mAh, Energy: 34.56 Wh, Dimensions: Approx. 202×185×486 mm, Bluetooth 4.0, USB-C. 8. Headphone -Wireless On-Ear Headphones with 70H Playtime, 40mm Driver, Low Latency(up to 45ms),Dual Pairing, BT v5.3, Wireless Communication Technology-Bluetooth, Bluetooth Range-10 Metres, Control Method-Remote, Dimensions LxWxH 6.5 x 4.9 x 2.9 cm. 9. Boompole- Microphone Boompole Support Holder Audio Easy Hood Boom Pole-,Material-Stainless Steel, Metal, Dimensions -21.11 x 20.19 x 8.99 cm;

e x 1; 3.
x 1;
ers Bag
tern
ages
-in
span of
Flash
x 5W x
ne-4
for 10
40W x
070570
8X25X2,
lotoring
lotoring,
verful 2W
hours of
riours or
tested in
yering.
y or mig.
)W 2 6 /,;

Α	Trade Name	Recommended Tools Specification
		Protection,PU material and Oxford Ground Sheet provide 2000mm water resistance and
		excellent UV resistance.
		9.Body Safety Belt- Safety Belt Harness Full Body Fall Protection with Single Hook Unisex Full
		Body Adjustable Climbing Harness Safety Belt, Easy to Install, Dimensions LxWxH 154 x 42 x 2
		cm; Material-Nylon.
		10.Screw Locking- Aluminiun Screw Locking Karabiner, Size: Pack.
		11.Safety Helmet- Safety Helmet With Plastic Suspension & Ratchet Type Adjustment With
		Chin Strap.
17	Cane & Bamboo Crafts	1.CARPENTER-KIT- (1pc Claw Hammer steel shaft-8"
	Non NSQF	1pc Short Tape rules 5m/16' x 19mm
		1pc Wood Chisel set, 3 pcs
		1pc 9" Torpedo Level
		1pc Retractable utility knife, 156mm
		1pc 300mm met diecast comb square 1pc 12.5" toolbox metal latch.
		2. Handsaw- 18 inch Carbon Steel Hand Saw, Thickness 0.9 mm, No. of Teeth-7 TPI,Material
		Carbon Steel/Material Grade-65Mn.Size (mm) -450 mm
		3.Air Spray Gun- 180 to 250 mm Air Spray Gun 400 CC Paint Capacity, Air Consumption 4.2 -
		7.1 cfm (119-200 L/min),Standard Nozzle 1.5 mm,Air Pressure 3-4 Bar,Optional Nozzle 1.2 to
		1.8 mm/Pattern Width-180 to 250 mm.
18	Carpenter Wooden	1.Circular Saw- 190 mm / 1600W Circular Saw With 24T Blade, SC16,Speed (RPM): 5500 rpm,
	Furniture - Non NSQF	Power Source: Corded,Rated Power 1600 W,Max Cutting Depth at 90°-65 mm,Bevel Cutting 45
		degree
		2. Chisel- Wood Working Chisel Set of 5 Hardened Chisel Set with Carrying Pouch Tool
		Kit,Blade Material -Metal,26L x 4W Centimeters,100 g,Heat Tempered and coated with
		lacquer.Size: 12mm, !9mm, 25mm, 32mm, 38mm.
		3. Drill- Electric Drill Machine, Chuck 10mm, 500W, Copper Armature, 2800RPM,
		Forward/Reverse for Wood & Metal Work, 220 Volts, 2.27 Amps, Maximum Chuck Size 0.4
		Inches,26L x 8W x 23H Centimeters,Rated voltage : 230V~50Hz,Rated Input Power : 500 W;

Α	Trade Name	Recommended Tools Specification
		Rated no load speed: 0-2800 rpm, Chuck capacity: 10 mm; Drilling capacity: Wood-15mm,
		Steel-10mm,
		4. Nailer Machine- Multipurpose Manual Steel Nail Gun With 12 Nails, Nail Wall Fastening Tool For Cement Wall, Portable Mini Nail Shooting Machine Home DIY, Material-Metal, Mode Of
		Operation: Manual,1x 1 x 1 cm.
		5.Pencil Set - Drawing Pencil – Pack of 6 ,Contains – HB,2B,4B,6B,8B.10B Pencils,
		6. Leveller- Pack of 4 leveller screws/Leveling Foot Adjuster M10 x 18 mm/Adjustable Leveler Feet,METAL AND PVC,M10 X, Round,Screw-In,10 x 5 x 5 cm;
		7. Sander- Finishing Sander, 220W, Copper Armature, Sanding Area 90X187mm, 12000 RPM with Sand Paper and Dust Box, 28.5L x 9.5W x 16H Centimeters, Grit Type-Super Fine, 230 Volts, Corded Electric, Grit Number-60.
		8. Mallet- High Quality Rubber Mallet Hammer Rubber Mallet Hammer Mallet, Material - Plastic, Rubber, Style-Round, 20 x 10 x 3 cm.
		9.Square- 90 Degrees Right Angle Ruler 6 Inch Tri-Square (Pack of 1) ,Stainless Steel,Blade Length 340 mm, Tongue Length 140 mm.
		10.Claw Hammer- Carbon Steel Claw Hammer With Fiberglass Handle For Comfortable Grip (27 Cm), Material: CARBON STEE, Type: Hammers & Mallets, Product Breadth: 10 Cm, Product Height: 3 Cm, Product Length: 27 Cm.
		11.Screw Driver- 812 Screw Driver Set with Neon Bulb, Silver & Green, 1 Piece, Head Style Flat, Material-Alloy Steel, Magnetic Tip, dimensions L x W x H-14 x 5.5 x 3 Centimeters
		12. Knife - Heavy Duty 18 mm Cutter Set With 10 Replacement Blades, Stainless Steel, Length-15 Centimetres, Auto-Retractable, Handle Material Wood.
		13.Dremel- 42pcs Mini Cordless Drill Machine Rotary Tool Kit 2000mAh 5 Speed LED
		Rechargeable USB Mini Drill Machine DIY Crafts Nail Art Engraving Polishing Grinding
		Carving Drilling 3.7 Volts Power Source-Battery Powered dimensions L x W x H-15.24 x 3.18
		x 3.18 cm Minimum Speed-5000 RPM Maximum Rotational Speed-18000 RPM.
		14.Planer Machine- 82mm 600W Electric Wood Planer Machine, XE-8201,No Load Speed-16000 rpm,220V,Planning width 82mm,Dimension-32L x 20W x 19H Centimeters,Corded
		Electric, Maximum Rotational Speed 1.6E+4 RPM.

Α	Trade Name	Recommended Tools Specification
19	CHOCOLATE MAKING	1. Chocolate Melter- Stainless Steel Chocolate Melter, 600W, Chocolate Pan Size 10.4 x 6.4 x
	Non NSQF	2.5 Inch (265 x 163 x 65 mm Deep) 2 GN Pan of 1.5L Chocolate Melting Capacity, 220 V
		Frequency: 50 Hz/ 1 Ph,Capacity: 1.5 Litre Each,Water Pan Size: 10.4 x 12.8 x 4.0 Inch (265 x
		325 x 100 mm Deep) Dimension(W X D X H) : 36 X 30 X 20 cm (14.17 X 11.81 X 7.87) inches
20	Clay Work Value addition	1. Pottery Sculpting Tools- 11 Pcs Pottery Sculpting Tools Set for Professional Art Crafts.
	Non NSQF	2.Tool Apron- Apron 60 X 61 cm with Pockets Adjustable Size Fits, Size 60 x 61 cm Material-
		High-Quality Nylon fabric, Waterproof.
		3.Chamois- 20 Pieces Pre Cut Chamois for Smoothing Pot Rim Chamois Clay Pottery Tools
		Soft Chamois Cloth Chamois Leather Pottery Tool Kit Ceramic Pottery Tools Supplies Ceramics
		Trimming Tools (3 x 3.7 Inch)
		4.Pottery Sculpting Tools Clay- 6 PCS Clay Pottery Sculpting Tools Set Pottery Clay
		Sculpture Caving Scraper Craft Modelling Tools, Material: Aluminum alloy, Length: 12.3cm
		5.Wood and Wire Bevel Cutter- 3 Pieces Wood and Wire Bevel Cutter Fettling Knife for Pottery
		Clay Trimming Tool for Pottery Wooden Handle Fettling Knife for Pottery Pottery Clay Tools Set
		for Sculpting Ceramic Polymer Clay, measuring about 14.6 x 4.5 cm/ 5.75 x 1.77 inches,
		Dimensions LxWxH 21 x 8.5 x 1.6 Centimeters.
		6. Kneading Tools- 3 Pcs Kneading Tools - Pottery Clay Tools Pottery Sculpting Scrapers
		Pottery Molding Clay Modelling Tools, Clay Scraper Modeling Ribs, Rubber Clay Scraper.
		7.Clay Scrapers-Clay Sculpture Tool Set, Plastic Clay Scrapers, 6Pcs Orange Plastic Clay
		Scraper Handle Carved Soft Clay Sculpture DIY Tool, Made of high quality material, and long
0.4		service life, Package Size: Approx. 12.2 * 9.4cm / 4.8 * 3.7in,
21	Coat Maker Non NSQF	1.Sewing and Embridery Machine-SEWING AND EMBROIDERY MACHINE Electric Sewing
		Machine (Built-in Stitches 14), Sewing Speed: 550, Number of buttonhole styles: 4, Number of
		Stitches 14, Material PLASTIC, Power Requirement 220, Power Consumption-60 W, Width 20 cm,
		Height 30 cm, Depth 40 cm,
		2. Sewing Kit-Three Mask Sewing Kit Tailoring Box With All Accessories Sewing Kit,includes up
		to 24 spools of coloured threads, a seam ripper, tailoring scissors, an automatic threader, 42
		shirt buttons, 50 jacket hooks, a trimmer, 6 bobbins, a measuring tape, 10 safety pins, a
		threader, 40 pearl needles, 25 stitching needles, and a storage box.

Α	Trade Name	Recommended Tools Specification
22	Commis Chef Non NSQF	 1.Oven- Oven Toaster Grill 9 Liters OTG without Rotisserie for Oven Toaster and Grill for grilling and baking Cakes, 20D x 24W x 18.3H Centimeters, Temperature Control, Timer, Control Type Knob, Capacity 9 litres, Wattage 1380 Watts, Material-Aluminium, 4 stage heating options, 4 pieces upper and lower stainless steel heating elements, Operating Voltage: 220 – 240 volts. 2. Kitchen Knife-7 Piece Stainless Steel Kitchen Knife Set Knives Set with Knife Scissor, Pack contents: 1 chef knife, 2 Boning, 2 pairing knife, 1 peeler, 1 scissor knife, 1 knife sharpener. 4 Different types of knife- 1 unit- 10 inches, 1 unit- 7 inches, 1 unit- 10 inches, 1 unit- 10 inches, Rod- 10 inches, Scissor 8.5 inches. 3. Chopping Board- Cutting and Choping Board for Kitchen Cutting Board Professional Chopping Board for Commercial Grade/Restaurant Thick (Fiber Chopping Board) Large 12×18, Product Dimensions 45L x 30W x 2Th Centimeters, Material-Fibre, Shape-Rectangular. 4. Beater- BEATER 400 Watt:: 5 Speed:: Dough and Beater Hooks, steel, ,Stainless Steel, Button Control, Material Plastic, Number of Speeds 5, Wattage 450.00, Voltage 230.18 x 8 x 43 Centimeters. 5. Steamer- Aluminium Momos Steamer 3 Tier Capacity 3 Liters, Silver, 20.3 x 20.3 x 22.9 Centimeters, Shape Round, Diameter -20.3 Centimetres 6. Large size local fry pan
23	Concrete Brick Making Non NSQF	Hollow Block Machine- Mild Steel Manual Hollow Block Making Machine, For Construction, Capacity: 500-1000 Blocks per hour, Method-Hand Press Manual
24	Content Creator Non NSQF	1. Memory card- 64GB Card for 4K Video for DSLR and Mirrorless Cameras 200MB/s Read & 90MB/s Write, Waterproof, Read Speed 2E+2 Megabytes Per Second, Speed Class-Class 10, Dimensions 2L x 24W Millimeters. 2. Tripod- Flexible Gorillapod Tripod for All Cameras and Mobile Phones with 360° Ball Head and Phone Holder, Max. Load 3kgs, 33 x 6 x 5 cm, Material -Plastic, Metal
25	Cosmetologist Non NSQF	 Manicure Kit- 18 in 1 Stainless Steel Manicure Pedicure Set Nail Cutter Scissors Care Set Tweezers Knife Ear Pick Eyebrow Scissors Utility Tools Grooming Kits with Leather Case (18, Set of 18), Dimensions: Case: 6.5x3.5x0.8 inches. Electric Blow dryer- 5 In 1 Electric Blow Dryer Comb Hair Curling Wand Detachable Brush Kit with Fully Professional Hair Combs for Hair Cutting and Styling.30.8 x 22.2 x 7.4 cm. Material-Polycarbonate, Special Feature-Indicator Light,, 110/220V,1000W,Temperature

Α	Trade Name	Recommended Tools Specification
		120C,30 mm coil Rod 1,30 mm Reel 2.
		3. Wax Heater- Wax Heater And Warmer Hot Wax Heater for Hard, Wax Heater For Waxing
		Automatic, Strip and Paraffin Waxing, 199 gram. Material Type Free-Aluminum Free,
		4. Hair Cutting Scissor- 10 Pcs Professional Hair Cutting Scissors Blade Material-Stainless
		Steel,[Professional Home Hair Cut Tool Set]Including 1*hair scissors, 1*thin out scissors,
		1*shaver comb, 1*cleaning cloth, 1*comb, 2*hairpins, 1*surrounding cloth, 1*hairbrush, 1*
		storage bag, one haircut kit can meet most haircut and styling needs.
26	Craft Baker NSQF	1.Oven- Oven Toaster Grill 9 Liters OTG without Rotisserie for Oven Toaster and Grill for
		grilling and baking Cakes,20D x 24W x 18.3H Centimeters,Temperature Control, Timer,Control
		Type Knob, Capacity 9 litres, Wattage 1380 Watts, Material-Aluminium, 4 stage heating options, 4
		pieces upper and lower stainless steel heating elements, Operating Voltage: 220 – 240 volts.
		2. Kitchen Knife-7 Piece Stainless Steel Kitchen Knife Set Knives Set with Knife Scissor , Pack
		contents: 1 chef knife, 2 Boning, 2 pairing knife,1 peeler, 1 scissor knife, 1 knife sharpener.4
		Different types of knife- 1 unit- 10 inches, 1 unit- 7 inches, 1 unit- 10 inches, 1 unit- 10 inches,
		Rod- 10 inches, Scissor 8.5 inches.
		3. Chopping Board - Cutting and Choping Board for Kitchen Cutting Board Professional
		Chopping Board for Commercial Grade/Restaurant Thick (Fiber Chopping Board) Large 12×18, Product Dimensions 45L x 30W x 2Th Centimeters, Material-Fibre, Shape-Rectangular.
		4. Beater- BEATER 400 Watt :: 5 Speed :: Dough and Beater Hooks, steel, ,Stainless
		Steel, Button Control, Material Plastic, Number of Speeds 5, Wattage 450.00, Voltage 230.18 x 8
		x 43 Centimeters.
		5. Steamer- Aluminium Momos Steamer 3 Tier Capacity 3 Liters, Silver ,20.3 x 20.3 x 22.9
		Centimeters, Shape Round, Diameter -20.3 Centimetres 6 . Large size local fry pan
27	Dairy	1.Cow Milking Machine- Manually Operated Single Bucket Cow Milking Machine, 3 to 4 min
	Farmer/Entrepreneur Non	per Cow With Free Accessories,350 mm hg Vacuum Range, 10 liters Milking Can
	NSQF	Capacity, Material: Stainless Steel, Liner: Silicon.
		2. Container-Stainless Steel Barni Jar with Lid and Handle - 5 Litre Flat Base Container Rust
		Free Milk Can Easy to carry Milk Pot Ideal for Oil, Ghee, Butter Food Grade,21L x 19W x
		22.1H.

Α	Trade Name	Recommended Tools Specification
28	Doll making Non NSQF	 1.Skin Fabric-Skin fabric, Set of 5 fabrics, Cotton 50x60cm 19.6 "x23,6", Materials: Coarse calico, Width: 19 1/5 inches. Length: 19 1/5 inches. 2. Polyster Synthethic Cotton- Fiber, Polyester Synthetic Cotton Filling Fiber (for Cushion, Pillow, Teddy Bear, Toy Stuffing Pillow) - 2000 g, 3. Gemsy Combo- 8 in 1 Combo 1 Big Seam Ripper 2 Small Seam Ripper 1 Thread Cutter Inch Tape Needle Threader 1, Threader, Loop Turner for Sewing. Material-Steel and
		plastic, Dimensions LxWxH 15 x 10 x 3 Centimeters . Seam Ripper Big- 1 Quantity, Seam Ripper Small-2 Quantity Thread Cutter -1 Quantity, Inch tape-1, Needle threader 1 + threader + loop turner . 4. Glue Gun- 100 W Glue Gun with 5 Glue Sticks, Style - Trigger, Product Dimensions-19.5L x 4W x 16H Centimeters.
		5. Craft 200 pcs - 200 Pcs, Mix Sizes, Pearl Beads, with Holes for Jewelry Making, Small Pearl Filler Beads for Crafting Bracelet Necklace Earri (200 Pcs, Mix Sizes) Shape-Round / Square, Dimensions LxWxH-11 x 10 x 7 Centimeters.
		6. Multi Purpose Scissor- Multi purpose Scissors for Office Set of 4 Lightweight Scissors for Art and Crafts, Cloth Cutting, Material-Steel and Plastic,Blade Material-Stainless Steel,Style-Classic,Dimensions LxWxH-10 x 28 x 3 Centimeters.
29	Electrical Service Technician – Home Appliances NSQF	 Hand Tool Kit- Hand Tool Kit for Home & DIY Use (154-Piece) - Includes Screwdriver, Wrench, Ratchet, Utility Knife, Saw, Claw Hammer, Measuring Tape and Plier, Dimensions-39 x 28.5 x 8.5 cm; 4 kg,1/4 Sockets(5mm to 13mm),12oz Claw Hammer ,250mm water pump plier,160mm combination pliers,18mm utility knife,150 mm steel ruler,225 mm level,28 mm precision bits, 25 mm bits,18 mm snap-off utility blades. Digital Multimitre- Auto/Manual Ranging Digital Multimeter 750V 20A With Temperature Probe,Display :3 5/6 Digit Counts :6000,AC Voltage Range :600mV/6/60/600/750V,AC Voltage Accuracy :+/-(1.0% rdg + 5 dgt), +/-(1.2% rdg + 5 dgt) on 600mV, +/-(1.5% rdg+5 dgt) on 750V,DC Voltage Range
30	Electrical Technician NSQF	:600mV/6/60/600/1000V 1. Plier- 6 inch / 165 mm Combination Pliers, 1621-6,Type-Without Joint Cutter, Grade-Generally Conforming to IS 3650 - 1981, 40 to 45 HRC up to 2000 V DC or 2800 V AC.

Α	Trade Name	Recommended Tools Specification
		 Screwdriver- Screw Driver Kit Set for Multipurpose Application, 2 in 1 Reversible Screwdriver Kit Set (4 6 8 10) Packet of 4, Material : Iron, Product Breadth : 18 Cm, Product Height : 10 Cm, Product Length : 10 Cm Needle Nose plier- Long Needle Bent Nose Mini Plier Hand Tools for Professionals (Pack of
		1),Material-Metal,Handle Material-Alloy Steel,Grip Type-Padded, Dimensions LxWxH-16.2 x 5.6 x 2.2 Centimeters. 4. Black Tape- Electrical Tape, 15mm x 10m,Backing Material-Vinyl,Thickness-0.152mm,Maximum Operating Temperature +90°C
		5. Hammer- Steel Sledge Hammer With Hickory Handle Size 2LBS- Set Of 1, Head Material carbon steel, steel, steel.drop, Handle Material-Hickory Wood. Dimensions 15L x 9W x 5Th Centimeters.
		6. Spanner Set- 8-piece Chrome Vanadium Steel Combination Spanner Set with Maxi-Drive System, Anti-Slip & Anti-Corrosion properties, Material - Chrome Vanadium Steel, Dimensions 25.4 x 7.62 x 5.08 cm;8-Piece Combination Spanner Set (8mm, 9mm, 10mm, 11mm, 13mm, 14mm, 17mm and 19mm)
		7. Utility Knife- 18 mm Cutter Set With 10 Replacement Blades ,Material-Stainless Steel ,Item Length-15 Centimetres,Handle Material-Wood,Blade Material-Carbon Steel, Handle Type-Auto-Retractable,Size-18mm.
		8. Wire Stripper- Insulation Wire Stripper, Automatic Wire Stripping Tool/Cutting Pliers Tool, Material-Stainless Steel, Carbon Steel, Product Dimensions-10L x 8W Centimeters, Grip Type-Ergonomic.
31	Fashion Designer Non NSQF	1.Sketch book- 50 Sheet A5 Sketchbook Set of 2-5.8 x 8.3 Inch Top Spiral-Bound Sketchpad for Artists Sketching and Drawing Acid Free Paper, for Doodling oil;acrylic,Dimensions : 20 x 16 x 2.6 cm.
		2.Pencil Set - Drawing Pencil Set for Artists 29 Pcs Sketching Kit Art Tool with Graphite Pencils, Charcoal Pencils, Paper Erasable Pen, Craft Knife Lightwish to include 18 Premium Graphite Pencils, 3 Charcoal Pencils, 3 Paper Erasable Pencils.
		3.Ruler- 24 inch, 60 cm Wooden Ruler Scale Long for Architects, Engineers, College Students, tailor - set of 2 ruler scales (24 inch, 60 cm, Wooden).

Α	Trade Name	Recommended Tools Specification
		 4.Scissor - Stainless Steel Fabric Scissors (9.5inch), Designed with sharp, contoured blades. 5.Sewing Machine- Sewing Machine Manual Sewing Machine (Built-in Stitches 1), Number of Stitches 1,Number of Buttonhole Styles-0, Sewing Speed-350 SPM, Width-33 cm, Height-45 cm, Depth-32 cm. 6.Measuring tape- 1.50 Meter 150 CM Superior Quality Measuring Tape inch measure tape, Type: Soft Tape, Body Material: Fiber.
		7.Tailoring Chalk- Tailor's Chalk & Sewing Tailor Markers, Dressmaker Chalks - Pack of 5 Boxes, Product Dimensions-10 x 5 x 3 cm.
32	Fitter and Fabrication Non NSQF	1.Wielding Machine- Welding Machine 250A Inverter IGBT GAS Welding Machine Hot Start Anti Stick Function with Welding Torch, Mask & Other Accessories Included (2-in-1) 250A Welding Machine Tool, Dimensions 37 x 17 x 27 cm, input voltage range of 180-250V and a frequency of 50/60Hz, output current range of 20-250A, non-load voltage of 56V, electrode holder and earth clamp, both marked 16mm² to 18mm² and measuring 1.5 meters in length.compact external dimensions of 375170270mm, IP21S protection level, and F insulation grade. 2. Cut off Saw- Cut Off Saw (355 x 25.4 mm), Power-2200 W, Disc Diameter-355 mm, No Load Speed-3700 RPM, Speed-3700 RPM, Diameter-355 mm, Wheel Diameter-355 mm, Voltage-220-240 V, Cutting Capacity-100 mm in Round Pipe, 100 mm x 100 mm in Square Steel, Bore-25.4 mm.
33	FOOD PROCESSING Non NSQF	 Stainless Steel with LID: (Stainless Steel, 2 Litre) Product Dimensions-12D x 15W x 12H Centimeters Size-23Cm-2500ML + 26Cm-4500ML 18/ Stainless Steel: High-grade material. Steel Tope: Tope 10 L capacity 35 cm diameter (Stainless Steel) Kitchen Tools: Stainless Steel Kitchen Tools, Length-34cm Breadth-7.6cm Plastic Measuring Cup Set with Handle: Liquid Measuring Cup 1/2/4 Cup Capacity, 1000ml 500ml 250ml for Measuring Solid and Liquids 3 Pcs Item dimensions L x W x H -14 x 12 x 12 Centimeters Stainless Steel Kitchen Knife: Knives Set, Item dimensions L x W x H 10 x 5 x 15 Centimeters. Stainless Steel Soup & Juice Strainer/Liquid Filter: (15 cm Diameter) Set of 1 Pcs,

Α	Trade Name	Recommended Tools Specification
		Standard,30L x 20W x 7H centimeters.
		7. Stainless Steel Soup & Juice Strainer: 12.5 cm Stainless Steel Soup & Juice Strainer,
		Standard - 28L x 12W x 5H Centimeters
		8. Steel Mixing Bowl: Heavy Gauge Stainless Steel Solid Mixing Bowl/ Atta Parath (2 Liter).
		9. Mug: Stainless Steel Mug/Jug Multipurpose for Water, Milk and Useful for Kitchen/ Outdoor 600ML.
		10. Weighing Scale: Electronic Digital Weighing Scale Weight Machine With Back Light LCD
		Display, Wide Screen Display, Automatic Data Locking, Low Power Consumption, Low Battery Indicator, High Precision Sensor.
		11. Sealing Machine : 8 Inch Sealing Machine Poly Bag Sealing Machine Plastic bag sealer Hand Held Heat Sealer (200 mm).
34	Food Products Packaging	1. Sealing Machine: Heavy metal Body Sealing Machine 8 Inch (200 mm), Plastic Packing
	Technician NSQF	Machine.
		2. Plastic Bags: Reusable Resealable Clear Plastic Bags Storage Pouches Press Seal Apply To
		Kitchen Storage Jewellery Packaging Office Stationery -100Pcs(4X4 Inches).
		3. Water Bottles: Pack of 6 Water Bottles, 1 Litre Each, Reusable Plastic Fridge Bottle Set, BPA
		Free and Leak Proof Bottles for Travel, Work, Dimension in cms (L x W x H): 8.2 x 8.2 x 28.5.
35	Fruit Pulp Processing	1. Food dehydrator: Food Dehydrator 700W Dehydrator Machine with 6 Stainless Steel Trays
	Technician NSQF	24H Digital Timer Temperature Control Drop-Down & Viewing Door for Jerky Fruit Meat Pet
		Treats Herbs Product Dimensions 34D x 45W x 32H Centimeters.
36	Gents Wear Tailor Non	1.Sketch Book: 50 Sheet A5 Sketchbook Set of 2-5.8 x 8.3 Inch Top Spiral-Bound Sketchpad
	NSQF	for Artists Sketching and Drawing Acid Free Paper, for Doodling oil;acrylic,
		2.Pencil Set:Corslet Drawing Pencil Set for Artists 29 Pcs Sketching Kit Art Tool with Graphite
		Pencils, Charcoal Pencils, Paper Erasable Pen, Craft Knife Lightwish,
		3.Ruler: 24 inch, 60 cm Wooden Ruler Scale Long for Architects, Engineers, College Students,
		tailor - set of 2 ruler scales (24 inch, 60 cm, Wooden)
		4.Scissor: Stainless Steel Fabric Scissors (9.5inch),
		5.Sewing Machine: Manual Sewing Machine (Built-in Stitches 1)
		6.Measuring Tape: 1.50 Meter 150 CM Superior Quality Measuring Tape inch measure tape

Α	Trade Name	Recommended Tools Specification
		Measurement Tape (150), 7.Tailoring Chalk: Dust Free Rectangle Tailor's Chalk & Sewing Tailor Markers, Dressmaker Chalks, Perfect Markings on Fabrics/Clothes for Tailoring, Quilting, Crafts, and Sewing Supplies - Pack of 5 Boxes
37	Hand Embroiderer (Addawala) NSQF	1. Embroidery Kit:50 Colourful Threads, 4 Bamboo Hoops, 2 Aida Cloths & Essential Tools and Materials (Thread Cutter, Seam Ripper, Needle Threader, Needle Compact, Heat Erasable Pen, Sewing Pins)
38	Helper Electrician NSQF	 Electricians Hand Tool Kit: (43 Tools)1 pc 8" Combination Plier, 1 pc 6" Long Nose Plier, 1 pc 130 mm Wire Stripper, 1 pc 5mm Linesman Tester, 35 Pc Screwdriver set, 1 Pc 18mm Slidelock Snap-off Knife, 1 pc 4" Basic Diagonal Cutting Plier, 1 pc 3m Measuring Tape, 1 pc 12.5" GSB 600 Corded Electric Impact Drill Kit:Corded Electric Impact Drill Kit, 600W, 13mm,3000RPM, 1.4Nm, Variable Speed, Forward/Reverse Rotation, Double Insulation.
39	Installation Technician- Computing and Peripherals NSQF	1. Telecommunication Tool Set: Dimension (CM) - L x B x H:30 x 8 x 30 1 pc standard digital multi meter 8 pc cushion grip screwdrivers: ph1*75mm&150mm, ph2*45mm&100mm sl3*75mm&150mm, sl6.5*40mm&100mm 1 pc utility knife 1 pc 6" long nose pliers 1 pc 8"linesman pliers 1 pc mini-hacksaw 1 pc 10"adjustable wrench 1 pc 9"wire stripper 10 pc hex key:1.5,2,2.5,3,4,5,5.5,6,8,10mm 1 pc spinner handle 1 pc 1/4"dr. drive adaptor 13 pc 1/4"dr. drive 6 point sockets:4,4.5,5,5.5,6,7,8,9,10,11, 12,13,14mm 6 pc precision screwdriver set:0pt,1pt,1.4mm,2.0mm,2.4mm,3.0mm 1 pc soldering iron 40w/220v 1 pc solder 1 pc desoldering pump 94-380 1 pc digital spark tester 1 pc tweezers 1 pc measuring tape - 3 m 1 pc plastic box
40	Lead Sofa Maker- Wooden Furniture Non NSQF	 Circular Saw:SC16 7-1/4" 1600W Circular Saw with 24T Blade 1600W Additional handle for safe two-handed operation.65mm depth of cut, cross and bevel cuts,45 degree bevel capacity,Spindle lock feature No Load Speed: 5500/min Chisels:Hardened Wood Working with pouch Firmer Chisel Set (Pack of 5)12,19,25,32,38 mm Type Firmer Chisel Set Blade Width-12,19,25,32,38 mm, Blade Material-Chrome Vanadium Steel, Handle Material-Rubber,Suitable ForWood, Acrylic, Fiber, Plastic and soft alloys Drill: Impact Drill ,650W, Copper Armature, Chuck 13mm, 2800 RPM, 2 mode selector,

Α	Trade Name	Recommended Tools Specification
		Forward/Reverse with variable speed,Rated voltage : 220-230V,Frequency : 50~60Hz,Rated
		Input Power: 750W,Rated no load speed: 0-2300RPM,Chuck capacity: 13MM,Drilling capacity
		: Wood - 20MM,Concrete - 13MM,Protection class : CLASS II
		4. Planer Machine: 600W Electric Wood Planer Machine, 82mm Width, 16000 RPM, for
		Carpentry, Interior Designing & Construction Application for Home, DIY & Professional Use,
		Woodworking Tool
		5. Wood Working: Vices 210mm Avw-5381 ,Jaw Opening-125 mm,Type of Product-Wood
		Working Vice, Jaw Depth-55mm, Length-210mm, Body Diameter-150mm
		6. Air Stapler: Load Capacity 100pcs Staple - 6-13mm Pneumatic Stapler, Dimensions Width-20 mm Height-20mm
41	LED Light Repairing	1. LED Bulb: Bulb Tikki Fitting Machine, Production Capacity: I65/h:
	Technician NSQF	2. Solder Wire: 0.02-3 mm Lead Solder Wire, 18 SWG
		3. Round LED:14 W Round E27 LED Bulb Voltage 220-240 V
		4. Thermal Adhesive: RTV Thermal Adhesive 2074T, Bottle, 300 ml
		5. LED Bulb Tikki Fitting Machine: Stainless Steel Led Bulb Tikki Press Machine, For Industrial,
		Production
		6. LED Bulb Tap Punching machine: LED BULB TAP PUNCHING MACHINE
		7. Soldering Iron:Soldering Stand,Soldering Iron(25W) Soldering Wire, Soldering Paste, Wire
		Stripper, Solder Sucker, desoldering Wick, Desoldering Pump, Tweezers, Specific Uses For
		Product-Jewellery Soldering, Power Source-Corded Electric Wattage-25 Watts
		8. Electric Screw Fitting Machine: 10mm Red Electric Screwdriver Drill Machine (Left/Right
		rotation with Variable Speed) Type: Pistol Grip Drill Chuck Size: 10 mm
		9. Wire Cutter: Single Hand 200 Mm Spring-loaded Flush Cutters Diagonal Precision Side
		Cutters Pliers in Crv Steel Heavy Duty Cutting Pliers for Electrical Use, Product Dimensions 20L x 10W Centimeters.
		10. LED Bulb: 9W LED Bulb(Pack of 4), Item Dimensions LxWxH-10 x 10 x 10 Centimeters
		11. Spray-Spray Cyanoacrylate Adhesive, Strength-Medium, Surface Of Application-Wood,
		Plastic

Α	Trade Name	Recommended Tools Specification
42	Makeup Artist &	1. Makeup Kit for Women: Full Kit - Makeup Set Palette -119 Eyeshadow, 35 Lipstick, 3
	Hairstylist Non NSQF	Blusher, 6 Powder,14 Concealer, 10 Applicators, 1 Mirror, 20 Brushes Set,
		2. Comb Set: 5 In 1 Electric Blow Dryer Comb Hair Curling Wand Detachable Brush Kit with
		Fully Professional Hair Combs for Hair Cutting and Styling Package Dimension: 30.8 x 22.2 x
		7.4 cm.
		3. Hair Cutting Scissors: Hair Dressing Scissors Barber Kit with Hairdressing Scissor for Men
		Women Adult Kids Home Hair Cut Kit at Home, Item Dimensions LxWxH-21 x 15 x 4
10		Centimeters
43	Make-Up Artist Non	1. Makeup Kit for Women: Makeup Set Palette -119 Eyeshadow, 35 Lipstick, 3 Blusher, 6
4.4	NSQF	Powder,14 Concealer, 10 Applicators, 1 Mirror, 20 Brushes Set
44	Manual Metal Arc	1. Helmet: Helmet (83 x 108mm) Welding Helmet (Size - (83 x 108mm))
	welding/Shielded Metal	2. Leather Heat Resistance: 14 Inch Welding Gloves Heat&Fire Resistant At 500°C Leather Cut
	Arc Welding Welder -	Proof Gaunlets With Kevlar Stitching, Metal Thermal Work Safety Protective Heavy Duty
	Non NSQF	3. Welding Machine: Xpert Weld Inverter based Single Phase Compact Arc Welding Machine with Hot Start, Anti-Stick Function Input Voltage: 220V ±10%
45	Mason Marble Granite	1. Drill Grinder: Metal Universal Angle Grinder/Polisher Machine, Grinding Accessories, Power
45	and Stone Non NSQF	1. Drill Grinder. Metal Offiversal Arigie Grinder/Folisher Machine, Grinding Accessories, Fower 1020W
		Material: Metal, It has 1pc 4inch tct wood cutting wheel, 1pc 4inch marble/granite cutting wheel,
		1pc 4inch grinding wheel, 1pc 4inch metal/aluminium cutting wheel + velcro backup pad + 1pc orange foam pad + 1pc wool pad
		Power input: 220/240v, 1020w no load speed: 13000 rpm max disc diameter: 100 mm spindle thread: M10
		2. Angle Grinder: Professional Angle Grinder (100 mm Wheel Diameter)
		Rated input power: 800 W, Power output: 430 W, Disc diameter: 100 mm, Grinding spindle
		thread: M10, Speed output no-load, nominal max.: 11000 rpm
		3. Stone Cutter:-125 mm 2250 W 18000 RPM Stone Cutter
		Type of Product-Stone Cutter, Voltage-220-240 V, Frequency-50/60 Hz, Power Source-
		Corded,Load Speed-18000 RPM,Power-2250 W
		Wheel Diameter-125 mm

Α	Trade Name	Recommended Tools Specification
46	Mason Tiling Non NSQF	1. Tape Measure: Powerlock 4.88 M (16 Ft) Black And Yellow Tape Measure, 33-158, Tape Width 19 mm
		Material-Chrome High Impact ABS,Blade Finish,Mylar Polyester Film,Blade Length-16 ft,Blade Length (m)-4.88 m
		2. Tile Leveling Kit:50 pcs Tile Leveling System Kit Tiles Reusable T-Type Tile Spacers
		Leveling System Tile Leveling Clip for Floor & Wall Tiles Tile Leveler Spacer Tile Levelling Tools
		3. Tile Cutter: 140 1400 W 13200 RPM Wheel Dia 115 mm Professional Diamond Tile Cutter.
		Type of Product-Marble Cutting Machine, Voltage-220-240 V, No Load Speed (RPM)-13200 RPM, Power-1400 W.
		4. Hand Cutter: Hand Cutter Table Top Tile Cutter (0 W) Maximum Cutting Length 500-1100 Maximum Cutting Depth 60-120
		Type-Table Top Tile Cutter, Suitable For-Ceramic Tiles, Vitrified Tiles, Blade Material-
		Aluminium,Rated Wattage-0 W,Rated Amperage-0 A,Saw Type,Miter Saw,Replaceable
		BladeYes,Adjustable Height-Yes,Maximum Cutting Length-500-1100,Maximum Cutting Depth-60-120
		5. Trowel: Stainless Steel Trowel For Tiles,1 Pc Metal Suction Cup With Strong Handles & Plastic Trowel Tile Fixing Tools (9 MM + Suction Cup)
		6. Angle Grinder: Professional Angle Grinder (100 mm Wheel Diameter), input power: 800 W,
		Power output: 430 W, Disc diameter: 100 mm, Grinding spindle thread: M10, Speed output no-
		load, nominal max.: 11000 rpm
47	Mechanic Non NSQF	1. Drill Machine: 600W 13mm Drill Machine with Mechanical Toolkit for Home, DIY &
		Professional Use (120-Pieces) - Includes Hammer Drill, Hammer & Measurement Tape 7 *
		Combi Spanners (8,10,12,13,14,15,17 MM); 5 * Wooden Drill Bits (4,5,6,8,10 MM); 5 * Masonry
		Drill Bits (4,5,6,8,10 MM); 10 Hex Bits (50 MM); 1 * Magnetic Bit Holder; 1 * Adaptor (3/8"); 60 * Screws & Plastic Dowels, 8 * Allen Keys Set (1.5,2,2.5,3,3.5,4,5,6 MM); 1 * Handle Plier; 1 *
		Hammer; 1 * Snap-off Knife; 1 * Socket Wrench (3/8"); 1 * Long Nose Plier, 18 * Sockets.
		Maximum Power-600 Watts
		2. Screwdriver Tool: 46 in 1 Pcs Tool Kit & Screwdriver set and Precision Socket Set Wrench

	Recommended Tools Specification
	Set Multi Purpose Combination Tool Case, Multicolour 10cm, Tools product specifications:
	13pcs 1/4 inches dr sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm 21pcs dr bit sockets:
	ph 1, 2, 3, pz 1, 2, 3; fd 4, 5.5, 7; hw 3, 4, 5, 6, 7, 8; t 10, 15, 20, 25, 30, 40 2pcs 1/4 inches dr
	extension bars 1pcs 1/4 inches dr quick ratchet 3pcs hex key wrenches: 1.5, 2, 2.5mm 1pcs 1/4
	inches dr universal joint 1pcs 1/4 inches dr sliding bar 1pcs 1/4 inches dr flexible extension
	1pcs 1/4 inches dr spinner handle 1pcs bit adaptor 1pcs blow case package
	1. Professional Impact Drill with Drill Tool Kit: 650W, Copper Armature, Chuck 13mm
NSQF	Keyless Auto, 115 Home Essential Tools/Accessories
	Items: ToolBox, Drill, Auxiliary Handle, Measuring Tape, Fisher & Screws, Allen Keys set,
	Screwdriver bit & head sets, Hammer, Wrench, Adjustable Knife, Plier, Teflon tape, Digital
	Tester, Insulation Tape, Socket Wrench, Drill depth Scale, Spirit Level, Flexible Shaft, 3 Screw
	Drivers sets, 9 Bits set
	1. Mouth Shovel: Square Mouth Shovel with Metal Shaft Black, Bricklaying & Plastering Hand
Non NSQF	Tools Set Aluminium Trowel (Pack of 8)
	2. Hand Trowel Tools: Bricklaying & Plastering Hand Tools Set Aluminium Trowel (Pack of 8)
	Blade Material-Aluminium, Handle Material-Fiber, Net Quantity-8
	3. Club Hammer: Club Hammer with Handle.
	4. Angle Grinder:4inch Angle Grinder with 10mm Drill Machine for Metal/Wood/Concrete Angle
	Grinder (100 mm Wheel Diameter)
	5. Safety Jacket:Reflective Safety Jacket Free Size
	6. Safety Gloves: Regular Size Cut Proof Nitrile PU Coated White & Grey, Safety Gloves
	7. Wrecking Bar:2x760x18mm High-Grade Material Wrecking Bar Single For Removing Wood
	Planks, Removing Large Nails, Prying and Lifting. 8. Aluminium Spirit Level: Spirit Level, 30 cm / 300 mm / 12 inch, Type of Product-Spirit
	Level, Thickness-1 mm
	9. Iron Plumb Bob:Iron Plumb Bob With 2 m Thread,Material-Iron
	10. Angle Cut try Square:203.2 mm (8 Inch) Carbon Steel Angle Cut Try Square
	Material-Carbon Steel, Size-8 Inch, Blade Length-200 mm, Shape-L, Dimension-12 x 8 x 7
	cm,Usage For-Wood Working Tool for Engineer Metal, Size (cm)-20.32 cm
	Modular-furniture Non NSQF Multi Skill Mason General Non NSQF

Α	Trade Name	Recommended Tools Specification
50	Multi Skill Technician (Electrical) Non NSQF	1. Electricians Hand Tool Kit: (43 Tools)1 pc 8" Combination Plier, 1 pc 6" Long Nose Plier, 1 pc 130 mm Wire Stripper, 1 pc 5mm Linesman Tester, 35 Pc Screwdriver set, 1 Pc 18mm Slidelock Snap-off Knife, 1 pc 4" Basic Diagonal Cutting Plier, 1 pc 3m Measuring Tape, 1 pc 12.5" 2. GSB 600 Corded Electric Impact Drill Kit:Corded Electric Impact Drill Kit, 600W, 13mm, 3000RPM, 1.4Nm, Variable Speed, Forward/Reverse Rotation, Double Insulation.
51	Pickle Making Technician NSQF	1. Mixer Grinder: 750 Watt Mixer Grinder with 3 Stainless Steel Jar + 1 Juicer Jar (White and Blue), Product Dimensions-11D x 20.1W x 11.6H Centimeters, Blade Material-Stainless Steel 2. Weighing Scale: Kitchen Scale Multipurpose Portable Electronic Digital Weighing Scale Weight Machine With Back light LCD Display . 3. Sealing Machine: 8 inch Poly Bag Sealing Machine for Efficient Packaging Solutions, Packaging Sealers for Various Poly Bag Sizes, Product Dimensions-28L x 8W x 17H Centimeters, Power Source-Corded Electric, Operation Mode -Manual, Wattage-380 Watts, Voltage-220 Volts (AC) 4. Strainer: Stainless Steel Soup & Juice Strainer/Liquid Filter (15 cm Diameter) Set of 1 Pcs, Silver, Standard, 30L x 20W x 7H centimeters 5. Knives Set: Stainless Steel Kitchen Knife Knives Set with Knife Scissor 6 Piece Starter Set, 7 Piece, Material: Stainless Steel, Type: Asian Knives, 6. Gloves: Cotton Anti Cut Resistant Level 5 Protection Kitchen Gloves For Cutting Vegetables-Hand Gloves For Kitchen Gloves For Cooking Home, Restaurants, Chef Cut-Proof Safety Gloves (Large, Pack Of 1), Special Feature-Cut Resistant 7. Cookware: Stainless Steel Triply Cookware Tope Patila Set of 2 (2.5L - 4.5L Capacity) Gas Stove & Induction Bottom Multi-Use Bhagona Tapeli Milk Boiler Cook n Serve Pot Pan Vessels for Cooking, Capacity-6500 Milliliters 8. 10L Cookware: Patila/Bhagona/Tapeli Stainless Steel with LID (Stainless Steel, 10 Litre), Material-Stainless Steel, Capacity-10 litres.
52	Self Employed Tailor Non NSQF	Sewing KIT and Embroidery Machine: Electric Sewing Machine (Built-in Stitches 14), Number of Buttonhole Styles-4, Sewing Speed-550 SPM
53	Senior Beauty Therapist NSQF	Pedicure Kit: 18 Pieces Manicure Kit, Pedicure Tools for Feet, Nail Clipper, Ear Pick Tweezers, Manicure Pedicure Set, Multiple Function Manicure Set-Professional Manicure Kit

Α	Trade Name	Recommended Tools Specification
		Contains 18 Pcs nail and toenail tools for three functions, including hand care, facial care and
		foot care, Foot care: 1 x Toe-Nail Clipper, 1 x Cuticle Nipper, 1 x Toe-Nail File, 1 x Peeling Knife,
		1 x Cuticle Knife,1 x Straight Pedicure Knife, 1 x Diagonal Pedicure Knife, 1 x Single-edged
		Double-sided Push Stick, Hand care: 1 x Nail Clipper, 1 x Nail File, 1 x Diagonal Nail Clipper, 1 x
		V-Shaped Cuticle Trimmer, 1 x Single-edged Double-sided Push Stick
		2. Comb Set: 5 In 1 Electric Blow Dryer Comb Hair Curling Wand Detachable Brush Kit with
		Fully Professional Hair Combs for Hair Cutting and Styling
		3. Wax Heater: Warmer, Warmer Hot Wax Heater for Hard, Strip and Paraffin Waxing, Wax
		Machine For Women, Wax Automatic Waxing Kit Temperature Regulator
		4. Scissors:10 Pcs Professional Hair Cutting Scissors, Hair Dressing Scissors Barber Kit with
		Hairdressing Scissor ,1*hair scissors, 1*thin out scissors, 1*shaver comb, 1*cleaning cloth,
		1*comb, 2*hairpins, 1*surrounding cloth, 1*hairbrush, 1* storage bag
54	SOAP & DETERGENT	1.Grater Box: Handy Grater Box: 1 BASE,1 SEAL,1 GRATER
	MAKING Non NSQF	2.Measuring Cups:Mirror Finish Heavy Gauge Stainless Steel Set of 4 Measuring Cups with
		handles - 1 each: 1/4 cup, 1/3 cup, 1/2 cup and 1 cup
		3.Rubber Hand Gloves:12 Inches Long Reusable Nitrile Chemical Resistant Rubber Hand
		Gloves For Industrial Purpose Janitorial Construction - Gardening Home Kitchen Cleaning Gloves/Dish Washing Gloves
		4.Storage Jar Box: 2 pc plastic storage jar box square container- 1 Big Container-5 KG AND 1 Medium 3KG Container
		5.Wooden Ladles: 4 Wooden Ladles: 1 each - 8oz, 6oz, 4oz and 2 oz
		6.Stainless Steel: Measuring Set of 6 pcs. 3 Stackable Measuring Cups and 3 Stackable
		Measuring Spoons for Baking & Cooking. 1 cup, 1/3 cup, 1/4 cup, 1 tablespoon, 1 teaspoon &
		1/4 Teaspoon
		7.Mailing Box For Packing Shipping Courier: 3 Ply Self-lock Mailing Box For Packing
		Shipping Courier Box, Size 6x4x1.5 Inches, Length 6 Inch - Width 4 Inch - Height 1.5 Inch.
55	Solar Lighting Technician	1.Digital Multimeter:Digital Multimeter for measureing DC Current, AC/DC Voltage, Duty Cycle,
	NSQF	Resistance, Diode, Continuity, Upper Temperature Rating-40 Degrees Celsius, Measurement
		Type-Multimeter, Maximum Operating Voltage-600 Volts, Battery Powered, LCD Backlit Screen,

Α	Trade Name	Recommended Tools Specification
		Auto Shut-off, and Kickstand, Double ceramic fuse
		2.Solar Battery Charger: Solar Battery Charger Maintainer, 12 Volt Solar Panel Solar Trickle
		Car Battery Charger Maintainer 20W, Built-in MPPT Charge Controller for Trailer, Cars, Trucks, caravans, Boats, Motorcycles
		3.Connectors: Crimp Tool Kit CAT5 CAT5E CAT6 RJ45 Crimping Tool, 25PCS RJ45 Pass
		Through Connectors, Network Cable Tester, 9 Volt Battery Manual Crimper
		4.Drill Bits and Screwdriver Bits:Drill Bit and Driver Bit Set (30-Pieces), iron, Straight.
56	Solar Panel Installation Technician NSQF	 Crimping Tool: Crimping Tool, RJ45 Wire Cutter, Tool Kit, Cat5 Cat5e Cat6, 50PCS RJ45 Cat6 Pass Through Connectors, 50PCS Covers, Network Cable Tester, Wire Punch Down Cutter, Battery, Pass Through Tool kit Cordless Drill Driver:12V Cordless Drill Driver 17 Settings (+1 Mode setting) 1450 RPM 10mm Keyless Chuck LED Light 2-Speed Mode 1500mAh Battery 32 Accessories Perfect for Home & DIY Projects Utility Home Hand Tool Kit:Screwdriver, Hammer, Plier and Other Utility Home Hand Tool Kit (134-pieces), Item Dimensions LxWxH-44 x 11 x 25 Centimeters, Included Components-Hammer, Plier, Tape, Knife Blade, Adjustable wrench, Allen Key set, Insulation Tape, Hacksaw, Electronic Tester, Mag screwdriver Wire Stripper Tool: Wire Stripper Tool, Multifunction Wire Strippers Electrical, 8-Inch Wire Crimping Tool, Crimper with Splitting & Multi-Function Hand Tool for Cutting, Voltage Tester: Voltage Tester Non-Contact Voltage Test Pen AC 600V Voltage Tester Pen, Live/Neutral Wire Tester, Electrical Tester with LCD Display, Buzzer Alarm, Auto Off, No
		Battery, Specification Met-IP 67, Measurement Type-Voltage Tester 6. Volt Inverter Battery: 12 Volt Inverter Battery Hydrometer Specific Gravity Tester, Min. Operating Voltage-12 Volts, Measurement Type-Battery Tester, Maximum Operating Voltage-12 Volts
57	Spice Processing Technician NSQF	1. Flour Mill: Fully Automatic 2 in 1 Flour Mill/Pulverizer 1HP, 8 x 4 inch Chamber 2. Poly Bag Sealing Machine: Poly Bag Sealing Machine 8 Inch Beep Function Plastic Packing Machine Plastic Bag Sealing Machine Heat Sealer Machine Plastic Sealing Machine, Item Dimensions LxWxH-20 x 8 x 11 Centimeters

Α	Trade Name	Recommended Tools Specification
58	Street Food Vendor -	1. Iron Wok Chinese Kadhai:-Iron Kadhai 12 inch Iron Wok Chinese Kadhai with Wooden
	Standalone NSQF	Handle for Noodles Fried Rice for Kitchen Use, 1 Piece ,Item Dimensions LxWxH-31.5 x 36 x 15
		Centimeters
		2. Aluminium Momo Steamer: Aluminium momos Steamer Large, No 15,9.5 ltrs Capacity, Item
		Diameter-15 Inches,Lid Material-Aluminium
		3. Gas Cylinder LPG Single Burner Stove: Portable Single Burner LPG Gas Stove with 1
		Complete Set Of Empty Capactity (2Kg)
		4. Plastic Squeeze Bottles: 355 ML 12 oz Plastic Squeeze Bottles for Ketchup BBQ Sauce
		Syrup Condiments Mustard Mayo Hot Sauce Olive Oil Dressing, Pack of 6 Pieces
		5. Plastic Grocery Container: Plastic Storage Container Box with Wheels 25 LTR.
		6. Modern Courier Delivery Bag: Polyester Maxim Insulated Water Stain Repellent Food Pizza
		Modern Courier Delivery Bag 67 Litres 16X16X16 Inches (Extra Large)
		7. Tongs: Stainless Steel Multipurpose Tongs for Frying and Serving - Set of 5, Product
		Dimension- Oval tong- 19.5cm, Sugar tong-11.5, Noodle tong: 21.5 cm, Cake tong: 22 cm, Utility
		tong: 25 cm.
59	Traditional boat making	1. Cutter Machine: Machine (/Granite/Concrete/Tile/Wood) with 5 Wood cutting blade Marble
	Non NSQF	Cutter (1050 W), Type-Marble Cutter Suitable For-Marble/Granite/Concrete/Tile/Wood
		Cutter, Blade Material-Steel, Rated Wattage-1050 W, Rated Amperage-1.1 A, Saw Type-Circular
		Saw
		2. Jack Plane: Heavy Professional Jack Plane no. 4 (9 Inches), Power Source-Manual, Base
		Material-Cast Iron,Included Components-Blade,Cutting Width-9 Inches
		3. Hammer Wooden Handle:Polished Phosphate Head and Kikkar wood handle Cross,Type-
		Cross Peen Hammer, Handle Material-Wooden Handle, Metal, Steel Colour-Metallic, Product
		Dimensions-33L x 6W x 4Th Centimeters
		4. Hand Saw: Hand Saw 24-Inch, Super Carbon Hardened Steel Blade, Tri Bevel Aggressive
		Tooth Design, DIY Woodworking and Home Improvement Tool
		5. Plumb Bob: Plumb Bob Full Brass,Dimensions Width-10 cm,Height-5cm,Depth-5cm,Diameter-
		2cm

Α	Trade Name	Recommended Tools Specification
60	Training on flowers decorator Non NSQF	 Gardening Heavy Scissors:-Stainless Steel Gardening Heavy Scissor with Ergonomic Anti-Slip Handles Flower Plant Cutter For Home Garden Scissors, Fruit Tree Branches Gardening Cutting(1 MTR x 20MM - 8 Roll) Plant Ties Strap: Reusable, Adjustable, Gentle Plants Supports for Effective Growing; Multi-Use Support Tie Tape for Gardening, Wire Organizer, Cable Management, Plant Tie A set of 8 Rolls, (roll size: 1 M in length, 20 MM in width) Plant Cutter:8 Inch Heavy Duty Plant Cutter for Garden/Wood Branch Trimmer/Pruning Shears for Plants/Garden Tools for Home/Gardening Scissors/Secateurs(Black), Dimensions-20L x 10W Centimeters Storage Container: Plastic Kitchen flower Design Storage Container Set of 6 – 7 liter Plastic Grocery Container (Set of 6 Piece) (Multi colour), Dimensions LxWxH-18 x 18 x 30 Centimeters Knife:-Ultra Stainless Steel Knife Set, Set of 4, Assorted, Handle Material-Stainless, Stainless Steel, Steel Blade Edge-Hollow Artificial Flower Foam: Artificial Flower Foam Brick (Green, Set of 6), Dimensions-8D x 10W
61	Tribal Attires Non NSQF	 x 22H Centimeters 1. Sewing Kit:-206 pcs Complete Sewing Kit Set - Thread Box, Tailoring Materials, Needle and Thread Box,5 multicolor thread, 2 size clips, 2 size knitting needles, 10 different size colorful buttons and 2 needle threader 2. Electric Sewing Machine:- Sewing Kit Box for Home Use,7 built-in stitches & 14 Stitch function including 4-step button holing; Seven applications including lace fixing, quilting, smocking and rolled hemming. 3. Knit Med Cotton Fabric:Interlock Knit Med Wt Cotton Fabric, Width: 70 inches, Length: 1 yards
62	Water Hyacinth Handicrafts	 1.Craft Cutter Knife Set:18 mm Craft & Box Cutter Steel Knife Set with Automatic Blade Changing Mechanism -with 5 Blades Replacement, One Craft Cutter Knife Set With 5 Blades. 2. Glue Gun:60W, Heavy Duty Hot Melt Gun Kit With Glue Sticks((11mm, Blue) High Temperature Corded Glue Gun (11 mm), Type Corded -Glue Gun, Temperature Type-High Temperature 3. Stainless Steel All-Purpose Scissor: Multicolor Scissors For Kitchen Office, Home Utility Art

Α	Trade Name	Recommended Tools Specification
		& Craft Pack Multipurpose uses
		4. Nose Plier: 8-Inch Cutting Plier Tool Kit 1 x Combination Plier and 1x Nose Plier, Material:
		Chromium-Vanadium Steel / Handle Material-Alloy Steel, Specific Uses-Cutting, Gripping
		5. Quilting Needle: 30pcs Quilting Needle Self-Threading Quilting Needle with Wooden Needle
		Case Long Quilting Needle of Various Sizes Easy Self-Threading Quilting Needle for Quilting,
		Embroidery, Hand Sewing
		6. Head Pins: Pearl Head Pins Round Multicolored for Tailoring, Dressmaking, Crafting, Sewing,
		College Project, Ornament, Patchwork, Decorating, Hijab, Scarf for Women (40 Pins on a
		Wheel),Material-Alloy Steel
		7. Paint Brushes: Black Mix Synthetic Hair Paintbrush Set of 12pc for Watercolor and Acrylic
		Painting
		8. Spray Gun: Spray Gun 180 Ml/min, Material-Aluminum, Plastic, Style-Gun, Power Source-Air
		Powered
		9. Unbleached Muslin Cheese cloth Filter Cloth : Unbleached Muslin Cheesecloth Filter Cloth
		- Cotton Fabric for Straining Sauces, Soups, Juices, and Crafting - Breathable Material (5
		Meter),Net Quantity-2.00 Meters , Generic Name-Muslin Straining Cloth
63	Wedding Dress Designing	1.Electric Sewing Machine: Automatic Zig-Zag Electric Sewing Machine 7 Built-In-Stitches
	and Making Non NSQF	14 Stitch Function with complementary Sewing Lessons, 7 built-in stitches & 14 Stitch function
		including 4-step button holing; Seven applications including lace fixing, quilting, smocking and
		rolled hemming, Sewing speed: 550SPM (Stitches Per Minute); Stitch length control; Triple
		strength stitch
		2.Sewing Kit Box: Sewing Kit Box for Home Use with Needle and Thread Box Set for Sewing
		Machine 130 pcs Stitching kit Containing Thread of 100m Mending Sewing kit for Home
		Tailoring Scissors Thimble Tape Measure, 90 pcs premium sewing supplies including 24
		colored spools, 30 high quality assorted needles, powerful stainless steel scissors, tape and
		beautiful buttons, etc. Sewing kit containing a selection of 24 colors of thread spools and tools,
		100m additional thread of each color and optimum plastic spools for storage.
		3.Drawing Pencils with Sketch Book:41 Piece Drawing Pencils with Sketch Book 16 Pages 6
		HB Sketch Pencils Professional Drawing Kit in proper Case, Sketching Art Set with Graphite

Α	Trade Name	Recommended Tools Specification
		Charcoal Sticks Tool in All in Case
		41 Piece Sketching Art Set,20 x drawing pencil; 1 woodless graphite pencil (6B); 3 x charcoal
		pencils; 1 x double-head extender; 3 x blending paper stumps; 3 x graphite sticks; 3 x charcoal
		sticks; 1 x sandpaper; 1 x soft rubber; 1 x white rubber; 1 x double hole metal pencil sharpener;
		1 x single hole pencil sharpener;1 sketch papereriment with or combine different drawing techniques
		4.Tailoring Kit Set:Tailoring Kit Quilting Rulers Tailoring Scales/Rulers & Tools (Kit of 15) -
		Fashion Designing Kit containing the following: (A) 24" Straight Scale, 24" Leg Curve, 24" Arm
		Curve, 24" Hip Curve, 14" x 24" (B) 18" Gridding Scale, Armhole Curve, Triangular Card
		Scale , Pattern Master (C) Including Tracing Wheel , Seam Ripper , Thread Cutter , Measuring
		Tape , Pattern Notcher , Art Curve
		5.Mannequin: Female Dress Wooden Stand Form Wheel Base Mannequin Store Display
		Dummy, Display Stand, Includes wooden base with wooden neck cap, Size 8= bust-34 / waist-
0.4		28 / hips-36 Size 10= bust-37 / waist-30 / hips-39 Size 12= bust-39.5 / waist-31.5 / hips-41
64	Welding Non NSQF	1. Buddy Passive Welding Helmet:Eco Arc li Helmet (83 x 108mm)
		2. Leather Heat Resistance Gloves: Leather Heat Resistance Gloves Cut Resistance Gloves
		Welding Gloves 3. Arc Welding Machine: Arc Welding Machine with Hot Start, Anti-Stick Function,Input
		Voltage: 220V ±15%, Frequency: 50 Hz,Rated Input Power: 7.3 KVA, Current Range: 20 -
		200A, Permitted Load @ 60% Duty Cycle: 200A, Power Factor (max): 0.9, Efficiency at maximum
		current: 85%, Arc Force: Adjustable, Error Indicator: Yes, Power Indicator: Yes, Electrode Size
		recommended: upto 4.00mm, Package Content: Machine with Input cable, Welding Cable set
		with Electrode Holder, Earth Cable set with Earth Clamp, Manual
65	Beekeeping	1.Bee Keeping Box with chambers (Width 10.5 inch, Height 9 inch, 15 inch)
		2. Honey Extractor Stainless steel 4mm thick, capacity 10 Kgs
		3. Beekeeping Hive Stand (L x W x H - 48 x 5 x 40 Centimetres)
		4. Bee Veil 1 piece 5. Output Expluder Sheet (Back of 1)
		5.Queen Excluder Sheet (Pack of 1)6. Ant Well Dispenser (1Ltr)
<u> </u>		0. All Well Dispeliser (ILII)

Α	Trade Name	Recommended Tools Specification
		7. Knife Stainless Steel (8 inch)
		8. Hand Gloves (Pack of 1)
66	Piggery	1. Shed Construction: (10ft*4ft)
		2.Piglet (Hamshire Cross Breed: 2-3 months)
67	Poultry	1. Shed Construction @ (4ft*2ft)
		2. Kuroiler Bird (4 weeks)
		3. Kuroiler feed for chicks - 8 nos / trainee
		4. Drinkers 2 Ltrs - 8 nos / trainee

For any further clarifications, bidders may contact MSSDS as per the communication details provided in the RFQ.

-sd-Executive Director Meghalaya State Skill Development Society